

93.06.16

SUPER CHLORE
COMMERCIAL
STABILIZED CHLORINATING GRANULES
DESTROYS BACTERIA AND ALGAE
in Swimming Pool Water

CAUTION

POISON

CORROSIVE

GUARANTEE:

Sodium Dichloro-s-Triazinetrione..... 100%
Available Chlorine Content..... 62%

REGISTRATION NO. 23111
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

20 Kg

SANI-MARC
42, RUE DE L'ARTISAN
VICTORIAVILLE (QUEBEC)
G6P 7E3

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

PRECAUTIONS

- Keep out of reach of children.
- Dangerous gas formed when mixed with acid.
- Do not mix with any other chemical.
- Strong oxidizing agent. May cause fire or explosion if contaminated.
- Avoid contact with skin and eyes.
- Harmful if swallowed.

- Keep container closed and store in a cool, dry location.
- Rinse container thoroughly before discarding. Do not reuse.

FIRST AID

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink one glass of milk or water. Call a physician IMMEDIATELY.

DIRECTIONS FOR USE

Maintain proper daily levels as determined by testing kit.

Free available chlorine: 1.0 - 3.0 ppm
pH: 7.2 - 7.8
Total alkalinity: 80 - 120 ppm
Calcium Hardness: 200 - 300 ppm

For outdoor pools, chlorine residuals can be protected from destruction by the sun's rays by adding 3 kg of stabilizer per 100,000 L of pool water to yield the required initial concentration of 30 ppm.

Maintain proper chlorine residual by broadcasting daily over pool's surface, 400 g of SUPER CHLORE per 100,000 L of pool water, or as needed.

NOTE: Hot weather, heavy pool usage, and rain may require higher usage rates to maintain proper chlorine residuals.

Periodic superchlorination of pool water is recommended. Follow label instructions of superchlorination product being employed.

SUPER CHLORE contains stabilizer which can accumulate in pool water. Keep stabilizer within the range of 30 - 100 ppm by dilution with fresh water.

While SUPER CHLORE can be used for superchlorination, using 1.8 kg per 100 000 L of pool water. Care must be taken to avoid excessive accumulation of stabilizer.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue

with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS.
INFORM ENVIRONMENT CANADA AS IN PARAGRAPH 4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))