

89.06.22

WEED AWAY

MCPA Ester 500

LIQUID HERBICIDE

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE:

MCPA 500 g/L
(Present as ester)

REGISTRATION NO. 17516
PEST CONTROL PRODUCTS ACT

20 LITRES

WARNING

POISON

INTERPROVINCIAL COOPERATIVE LIMITED.
P.O. BOX 1050.
SASKATOON, SASKATCHEWAN
S7K 3M9

WINNIPEG TORONTO MONTREAL MONCTON

DIRECTIONS:

For ground or air application: Add water to spray tank until $\frac{1}{2}$ full. Add MCPA Ester 500, then complete filling with water and mix thoroughly. Treat weeds when small and growing actively for the best results at the least cost. Use 55-110 litres of water per hectare.

Wheat, Barley, Rye:

Treat from 3 leaf to early shot blade stage.

Oats & Mixed Grain:

Spray from 1-4 leaf stage.

Flax:

Treat after plant reaches 5 cm in height and before the bud stage. Rates over 850 mL/ha may cause injury.

Easily Killed Weeds:

Mustard, Lambs Quarters, Shepherd's Purse, Stinkweed, Flixweed, Ragweed, Cocklebur, Russian Pigweed, Prickly Lettuce, Kochia. Small Seedlings growing rapidly 700 mL/ha. Weeds in bud, dry or cool weather, heavy infestation: 1.1 L/ha.

Harder to Control Weeds:

Red Root Pigweed, *Sow Thistle, *Canada Thistle, *Leafy Spurge, *Blue Lettuce, Dog Mustard, Blue Bur, Field Pepper grass, Hemp Nettle, (Suppression only) (*) Top growth suppression only. Small seedling growing rapidly 1.25 L/ha. Weeds in bud, dry or cool weather. Heavy infestation 1.75 L/ha.

Tank Mixes with MCPA Ester 500:

Use tank mixes only when they are registered and recommended. Read and follow the label directions on both products used in a tank mix.

MCPA 500 Ester 500 at 1.1 litres per hectare of product plus Avenge 200-C at 3.5 4.25 litres per hectare of products. Apply in 100 litres of water per hectare. Add MCPA first then add the Avenge. Use only on Barley and Neepawa, Glenlea, Chester, Selkirk and Macoun wheat to control Wild Oats and MCPA susceptible broadleaf weeds. Apply on the 3-5 leaf stage of Wild Oats. do not use MCPA Amine or salts in combination with Avenge 200-C.

PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN. Avoid contact with skin, eyes, or clothing. Remove and wash contaminated clothing and shoes before re-use. Do not contaminate streams, lakes, ponds, irrigation ditches or waters used for livestock or domestic

purposes. Keep in original container during storage. Do not store near seeds, fertilizers, insecticides or fungicides. Do not store at temperatures below freezing. Do not spray on windy days or allow spray, mist or vapours to contact plants other than those being treated. Do not use sprayers which have contained MCPA to apply other pesticides to crops.

FIRST AID:

On skin, wash immediately with soap and water. In eyes, flush with water for 15 minutes, then seek medical attention.

DISPOSAL PROCEDURES:

Destroy empty container. Dispose of wastes by burying in a non-crop area away from all water supplies. Follow local regulations if they have been established.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))