

2000/2005

BACSTOP™

Fabric Sanitizer *
with residual bacteriostatic &
self-sanitizing activity.

Under humid or wet contamination conditions.

EDMAR CHEMICAL COMPANY
Cleveland, Ohio
1-800-678-7012

Canadian Address:
P.O. Box 8010
London, Ontario
N6G 2B0

COMMERCIAL

DANGER

POISON CORROSIVE

GUARANTEE:

Didecyl Dimethyl Ammonium Chloride 50%

READ THE LABEL BEFORE USING

REGISTRATION NO. 24219

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 208.2 L (55 gal)

DIRECTIONS FOR USE:

BACTERIAL CONTROL

At 110 mL per 100 kg of fabric (dry weight) BACSTOP imparts to the fabric a residual self-sanitizing and residual bacteriostatic finish. This activity has been confirmed against *Klebsiella pneumoniae* ATCC No. 4352 and *Staphylococcus aureus* ATCC No. 6538.

*At 140 mL per 100 kg of fabric (dry weight) BACSTOP sanitizes and imparts to the fabric a residual self-sanitizing and residual bacteriostatic finish. This activity has been confirmed against *Klebsiella pneumoniae* ATCC No. 4352 and *Staphylococcus aureus* ATCC No. 6538.

Dilute the appropriate amount of BACSTOP in four eight litres of water, then add to the wash in the final rinse, after souring. Treat fabrics as often and whenever conditions indicate it is necessary.

This product should not be used or compounded with any reducing or oxidizing agents (such as calcium hypochlorite, solid perchlorate or nitric acid) since such mixtures may be explosive. Do not use in conjunction with soap or any anionic wetting agent. Wear goggles or face shield, rubber gloves and respirator if mist is generated. Under certain conditions, the use of protective creams may be advisable. Wash thoroughly after handling.

PRECAUTIONARY STATEMENTS

Keep Out Of Reach Of Children. Danger: Corrosive to eyes. Do not get in eyes, on skin or clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. Avoid alcohol. Call physician or poison control centre immediately.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

NOTICE TO USER

This control is to be used only in accordance with the directions on this label. It is an offense under Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Triple- or pressure-rinse the emptied container thoroughly and add the rinsings to treatment site.

2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
6. For small spills, recover free liquid. Soak up residue with solid absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))