

Notification Change

~~BE-3S~~ BE-3SA

ANTIMICROBIAL SOLID FORM: Controls
bacteria in oil recovery operations.

INDUSTRIAL



DANGER POISON



**DANGER
CORROSIVE**

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

2,2-Dibromo-3-nitrilopropionamide....97.6%

**REGISTRATION NUMBER: 25895.02
PEST CONTROL PRODUCTS ACT**

NET CONTENTS 22.7 kg

Halliburton Energy Services
2600 South Second Street
Duncan, OK USA 73536

580-251-4689

PRECAUTIONS

**DANGER *CAUSES SEVERE BURNS OF EYES *EYE CONTACT MAY CAUSE LOSS OF VISION
*MAY BURN THE SKIN *MAY BE HARMFUL OR FATAL IF SWALLOWED**

Do not get in eyes, on skin, or on clothing. Chemical worker's goggles must be worn when handling. Wash thoroughly after handling. Avoid breathing dust. Use with adequate ventilation.

FIRST AID

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a Physician.

In case of skin contact, immediately wash skin with soap and plenty of water. Wash contaminated clothing before reuse. Get medical attention if irritation persists.

If swallowed, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Repeat until vomit is clear. Call a physician or poison control center. Never give anything by mouth to an unconscious person.

Take container, label or product name and Pest control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically

DO NOT SHIP OR STORE WITH FOOD, FEEDS, DRUGS, OR CLOTHING

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority.

DIRECTIONS FOR USE BE-3SA

NOTE: Add ~~BE-3S~~ separately to the system. Do not mix them with other additives, in order to avoid decomposition of ~~BE-3S~~ due to the high pH of many additive formulations.

OIL FIELD APPLICATION

BE-3SA

For reduction of bacterial contamination and degradation in oil recovery operations, add ~~BE-3S~~ to the system at a rate of 0.2 to 16 ppm.

FRACTURING FLUIDS BE-3SA

~~BE-3S~~ reduces bacterial contamination and degradation of fracturing fluids and gels used in oil and gas well stimulation. ~~BE-3S~~ should be added to the water storage tanks before gelling and circulated to ensure mixing. ~~BE-3S~~ can be pre dissolved in warm water and added at the well head for "on the fly" fracturing jobs. Use all pre-dissolved liquid within 24 hours. Frequency and Dose: ~~BE-3S~~ should be added at a rate 5 to 16 ppm (5-16 gm/1000 L) depending on water quality. Retreat after 48 hours if the frac job is delayed.

ENHANCED OIL RECOVERY(EOR)FLUIDS

BE-3SA

~~BE-3S~~ reduces bacteria contamination and Degradation of EOR polymers and gels. ~~BE-3S~~ should be added to injection water before polymer addition. Frequency and Dose: ~~BE-3S~~ should be added at a rate or 0.2 to 16 ppm (0.2-16 gm/1000 L). Dry ~~BE-3S~~ should be added at a point to ensure proper dissolution and mixing.

WATERFLOOD

~~BE-3S~~ can be used to control slime and Corrosion causing bacteria in waters used for secondary oil and gas recovery. ~~BE-3S~~ can be added as a dry product or pre-dissolved in warm water. Use all pre-dissolved liquid

BE-3SA

within 24 hours. If the system is heavily fouled, slug treat at the higher rate to remove biofilm. For maintenance, batch treat two to three times per week. Frequency and Dose: ~~BE-3S~~ should be added at a rate of 0.2 to 16 ppm (0.2 gm/1000 L). Dry ~~BE-3S~~ should be added at a point to ensure proper dissolution and mixing.

STORAGE: Do not contaminate water, food, or feed by storage or disposal. To maintain product quality, store in a cool, dark place at temperatures below 35° C (95° F). Keep container tightly closed when not in use.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Product Act to use a control product under unsafe conditions.

DISPOSAL:

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Disposal of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.