

96.05.30

ATTACK
INDOOR INSECT KILLER

PRESSURIZED INSECTICIDE SPRAY

NET CONTENTS 400g

DOMESTIC

GUARANTEE:

PYRETHRINS.....0.5%

PIPERONYL BUTOXIDE...4.0%

REG. NO. 19856 P.C.P. ACT

DANGER

EXTREMELY FLAMMABLE/EXPLOSIVE

READ THE LABEL BEFORE USING

MANUFACTURED FOR:
KemSan INC.
P.O. BOX 727,
OAKVILLE, ONTARIO, L6J 5C1

AN AEROSOL INSECTICIDE FORMULATED TO CONTROL FLYING AND CRAWLING INSECTS IN THE HOME WHEN USED AS DIRECTED.

FLIES, MOSQUITOES, WASPS, BITING MIDGES. AS A SPACE SPRAY: CLOSE ALL DOORS AND WINDOWS. SPRAY UPWARD IN A SWEEPING MOTION TO FILL THE ROOM WITH MIST. SPRAY 5-10 SECONDS PER 30 M3. DIRECT SPRAY AROUND WINDOWS AND OTHER LIGHT SOURCES.

ANTS, COCKROACHES, CRICKETS, SPIDERS, FLEAS, BEDBUGS, SILVERFISH, BEETLES, PHORIDS, AND WEEVILS, AS A CONTACT SPRAY: SPRAY INTO CRACKS AND CREVICES SUCH AS BEHIND BASEBOARDS, BEDBOARDS, UNDER SINKS, AND BEHIND CABINETS AND STORAGE AREAS. INSECTS SHOULD BE HIT BY SPRAY TO BE KILLED.

FLYING MOTHS - SUCH AS CLOTHES MOTHS, FLOUR MOTHS, INDIAN MEAL

MOTHS, AND MEDITERRANEAN FLOUR MOTHS, AS A SPACE SPRAY: TREAT ALL ENCLOSURES, ARRANGING CLOTHING AND ARTICLES SO THAT MIST CAN CIRCULATE FREELY. SPRAY AT LEAST 1 METRE FROM ARTICLES AND SURFACES TO PREVENT STAINING. CLOSE TREATED AREA FOR AT LEAST 45 MINUTES. SWEEP UP AND DESTROY DEAD INSECTS AFTER ALL TREATMENTS. VENTILATE TREATED AREA THOROUGHLY AFTER RECOMMENDED CLOSURE TIMES.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. AVOID BREATHING SPRAY MIST. COVER EXPOSED FOOD PREPARATION AREAS AND UTENSILS. ANY TREATED SURFACES THAT MAY CONTACT PRODUCTS SHOULD BE WASHED AND RINSED WITH POTABLE WATER AFTER SPRAYING AND BEFORE REUSE. DO NOT USE IN PRESENCE OF OPEN FLAME OR SPARK. DO NOT PLACE IN HOT WATER OR NEAR RADIATORS, STOVES OR ANY SOURCES OF HEAT. DO NOT PUNCTURE OR INCINERATE CONTAINER, OR STORE AT TEMPERATURES OVER 50 DEG C. COVER OR REMOVE AQUARIA. TURN OFF VENTILATING SYSTEMS FOR AT LEAST ONE HOUR. DO NOT USE IN PRESENCE OF OPEN FLAME OR SPARK.

FIRST AID: IF INHALED, REMOVE PATIENT TO FRESH AIR. IF SPRAYED IN THE EYES, FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. IF SPRAYED ON SKIN, WASH THE CONTAMINATED AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS OR SYMPTOMS OCCUR, OBTAIN MEDICAL ATTENTION IMMEDIATELY. IF SWALLOWED, SEEK MEDICAL ATTENTION. DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

DISPOSAL: WHEN CONTAINER IS EMPTY, PRESS VALVE TO RELEASE ALL REMAINING PRESSURE. WRAP AND DISCARD EMPTY CONTAINER IN HOUSEHOLD GARBAGE.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))