

94.10.29

DITCHLING

MALATHION 3%

RESIDUAL INSECTICIDE

GUARANTEE: Malathion...3%

COMMERCIAL

REGISTRATION NO. 23769 PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

NET CONTENTS Liters

DITCHLING CORPORATION LIMITED

P.O. BOX 395

DON MILLS, ONTARIO M3C 2S7

DIRECTIONS

APPLY INSECTICIDE WITH A PAINT BRUSH OR PRESSURE SPRAYER USING A COARSE SPRAY TO PREVENT "MISTING". SPRAY SURFACES TO THE POINT OF "RUN-OFF" (5 LITERS TO 100 SQUARE METERS OF SURFACE AREA). REPEAT TREATMENTS AS NECESSARY TO MAINTAIN CONTROL. BE CAREFUL NOT TO CONTAMINATE FOOD, FEED OR FOOD HANDLING EQUIPMENT. FOLLOW SPECIFIC INSTRUCTIONS INDICATED ON THIS LABEL FOR THE TYPE OF AREA BEING TREATED.

FLOUR MILLS, FLOUR MILL WAREHOUSES, GRAIN ELEVATORS: For control of Confused Flour Beetle, Flat Grain Beetle, Grain Mite, Granary Weevil, Indian Meal Moth, Lesser Grain Borer, Red Flour Beetle, Rice Weevil, Rusty Grain Beetle, Saw Tooth Grain Beetle.

Clean premises thoroughly. Remove and dispose of all sweepings and debris. Spray floors, walls, ceilings, under and behind milling machines, storage bins and other areas where insects hide and breed. Pay particular attention to cracks and crevices from which insects emerge. DO NOT SPRAY MILLING EQUIPMENT WHEN MILL IS IN OPERATION.

BOX CARS: For the control of grain insects listed in previous section.

Clean car thoroughly. Starting at a point on the car wall about 60 cm above the estimated sack line, spray the walls and floor at the rate of 4.5 Liters of insecticide per car. Allow car to stand empty with the door open until the spray has thoroughly dried. Line the walls and floor with kraft paper before loading. DO NOT APPLY DIRECTLY TO FLOUR GRAIN. Wait until spray has thoroughly dried before storing grain in the treated area.

DAIRIES, FLOUR MILLS, FOOD PROCESSING PLANTS INCLUDING FEDERALLY INSPECTED MEAT PROCESSING PLANTS: For control of Ants, Cockroaches, Crickets, Earwigs, Flies, Grain Insects, Lice, Mites, Mosquitoes, Silverfish, Spiders, Springtails, Weevils. Apply insecticide to infested areas such as baseboards, spaces around water pipes and tanks, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, processing equipment, and similar areas where insects hide. Repeat treatments as necessary to maintain control.

MEAT PACKING & FOOD PROCESSING PLANTS: Spray only when plant is not in operation. No exposed food product, ingredients or packaging materials to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products or other food products should be washed thoroughly with potable water after spraying and before re-use for food processing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid inhalation of, or contact with, the spray. Keep children away from the spray. Wash thoroughly after use. Avoid contamination of feeds, foodstuffs, milking utensils and water supplies. Use a respirator in enclosed areas. Do not treat dairy barns. Do not apply to pastures occupied by dairy animals. Do not apply to food crops. Do not spray into or near open flame. Highly toxic to Fish and Bees. To protect Fish and wildlife and bodies of water which may be used for irrigation or domestic purposes, do not contaminate streams, lakes, or ponds. Wash contaminated clothing before re-use.

FIRST AID: Contains petroleum distillates. If swallowed, do not induce vomiting. In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash immediately with flowing water for at least 15 minutes. If irritation develops seek medical attention.

TOXICOLOGICAL INFORMATION: Malathion inhibits cholinesterase. The antidote is Atropine Sulfate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not use 2-PAM for Malathion poisoning. Watch for pulmonary edema, which may develop in serious case of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

STORAGE & HANDLING: Store in original container, in a safe place, out of reach of children and domestic animals. Do not store near food, feed, fertilizer, seed and similar commodities. Keep product away from fire and sources of heat. Do not store below -3'C. If exposed to prolonged cold, place in warm storage (15-23'C) for several hours and agitate before using.

DISPOSAL: Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))

