KEM

COMMERCIAL USE

BODY GARD

Space and Contact Insecticide - For use as a Dairy Cattle Spray

Ready To Use Solution

Kills and repels horse flies, face flies, stable flies, horn flies, lice, ticks, house flies, mosquitoes and gnats.

GUARANTEE:

Pyrethrins	.10%
Piperonyl butoxide	.20%
N-octyl bicycloheptene dicarboximide	.33%
Di-n-propyl isocinchomeronate	.40%

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Cautions

REGISTRATION No. 18583

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS

MADE IN CANADA

KEM MFG. CANADA 6660 Campobello Rd. Mississauga, Ont., L5N 2L9 Canada

Plants: Europe/Latin America/Caribbean/Africa/U.S.A.

DIRECTIONS FOR USE:

To protect dairy cattle from stable, horn, houseflies, horseflies, mosquitoes, and gnats, this spray should be applied daily before the morning or evening milking. Using a Livestock Sprayer, apply as a light mist not to exceed 56 mLs per animal. Apply from a distance of .6 m, permitting the spray particles to collect upon the hair coat. Give special attention to shoulder blades, belly and legs. Wash teats and udder with soap and warm water prior to milking. Do not soak the hide.

FOR CALVES: Spray very lightly once daily.

To Protect Cattle from Attack by Lice and Ticks: The animals should be sprayed at the rate of 56 mLs per spraying for one adult animal. Immediately rub the spray into the hair, paying particular attention to infested areas. Repeat as necessary, but not more frequently than once every three weeks. Ticks must be contacted directly with the spray.

To Protect Cattle from Attack by Face Flies: Apply to the faces of cattle at the rate of 28 mLs per animal, paying particular attention to the areas near the eyes and nostrils. Wipe on face with a heavy cloth or sponge. Avoid spraying directly into the animals eyes. Treatment should be made daily while the cattle are stanchioned for morning milking.

PRECAUTIONS: Flammable mixture. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water, mineral supplements, or food stuffs. Do not contaminate milk or milk handling equipment with this spray. Do not use in milk processing plants or milk parlours. KEEP OUT OF REACH OF CHILDREN. Do not use near birds, fish or pets. This product is toxic to fish. Do not contaminate any body of water with this product. Avoid overspraying which will result in wetting the animals hide. Do not spray on plastic, or varnished surfaces. Mix well before use. Store in a cool place. Keep container tightly closed. Do not reuse container. Dispose of empty container in regular garbage.

FIRST AID: Product contains Petroleum Distillate, if swallowed, DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FOR INDUSTRIAL USE ONLY - NOT FOR RESALE

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))