

85.12.31

WILSON

LIQUID POISON IVY AND BRUSH KILLER

KILLS STUMPS

REG. NO. 12860 P.C.P. ACT

GUARANTEE: Ammonium Sulfamate 47.4%

DOMESTIC

READ THE LABEL BEFORE USING

PREVENTS SUCKER GROWTH FROM STUMPS.  
KILLS WOODY PLANTS, WEEDS, GRASS.

4 Litre

WILSON LABORATORIES INC.  
DUNDAS, ONTARIO L9H 3H3

WILSON'S POISON IVY AND BRUSH KILLER will control woody plants such as Alder, Ash, Birch, Cedar, Elm, Hickory, Maple, Oak, Pine, Willow as well as Poison Ivy and other perennial weeds and brush. Use in non-crop areas, tennis courts, ditches, around buildings, fence lines, driveways, paths and patios. Do not use to kill weeds on lawns, flower beds or among fruit and vegetables.

DIRECTIONS:

FOLIAGE TREATMENT: For Poison Ivy and Brush - use at the rate of 500 mL per 3 litres of water (one part of Wilson's Poison Ivy and Brush Killer to 6 parts of water). Thoroughly wet foliage and stems of plants to be treated. For best results, spray when temperature and humidity are high.

STUMP TREATMENT: To control re-sprouting or sucker growth from tree stumps, spray or paint full strength directly onto the freshly cut surface and other exposed areas and roots.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. Do not apply to desirable plants or vegetables. Do not contaminate ponds or streams. Wash sprayer thoroughly after use to prevent corrosion.

FIRST AID: In case of skin or eye contact, flush with plenty of water.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))