

12-JAN-1999
Expires - 31.12.2003

PLANT PRODUCTS

MALATHION 50E

CONTROLS FLIES & INSECTS

COMMERCIAL

Controls house flies, mites, aphids, mealybugs and many other insects found outdoors and in greenhouses.

GUARANTEE:

Malathion 50%

REGISTRATION NO. 4638
PEST CONTROL PRODUCTS ACT

CAUTION POISON

READ THE LABEL BEFORE USING

NET CONTENTS: 20 L

Scientific Growing Aids
PLANT PRODUCTS CO. LTD.
314 Orenda Rd.
Brampton, Ontario
L6T 1G1

Directions For Use

HOUSEFLIES - To control houseflies, use 15 mL Malathion 50E with double that amount of sugar or molasses mixed with each 1 litre of water. Spray thoroughly. Do not use in dwellings or in milk processing rooms. Allow 14 days before applying to freshly white-washed surfaces.

FRUITS AND VEGETABLES - Malathion 50E controls aphids, mites, thrips, mealybugs, plant bugs, pear slug, pear psylla, leafhoppers, leafrollers, and leafminers. Use 5 to 10 mL of Malathion 50E per 5 litres of water. Do not treat fruits and vegetables within 7 days of harvest.

ORNAMENTAL TREES, SHRUBS AND FLOWERS - Malathion 50E controls aphids, thrips, lace bugs, leafminers, mealybugs, bagworms, spider mites, tent caterpillars, white fly, native scale, pine needle scale, four-lined leaf bug, tarnished plant bug, leafhoppers, European pine shoot moth. Use 5 to 10 mL of Malathion 50E per 5 litres of water. Apply at first appearance of pest and repeat as needed. Malathion may cause injury on the following ornamentals: African violet, Crassula, Ilex, Petunia, Sabina, Canaerti Junipers, Boston, Maidenhair and Pteris ferns.

GREENHOUSE ORNAMENTALS - (Rose, Carnation, Chrysanthemum) Malathion 50E controls aphids, mites, thrips, mealybugs and white fly. Use 2 mL of Malathion 50E for 1 litre of water. Repeat application as necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN and domestic animals. Avoid breathing spray mist or dust. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after using. Do not contaminate feed or foodstuffs. Do not expose to open flame.

FIRST AID INSTRUCTIONS: If accidental poisoning occurs, get prompt medical aid.

TOXICOLOGICAL INFORMATION: Hazardous if swallowed, inhaled, or absorbed through the skin. May cause cholinesterase inhibition. Atropine is antidotal.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This symbol and wording is required under the Transportation of Dangerous Goods Act.

FLAMMABLE LIQUIDS, N.O.S. (XYLENE SOLUTION, MALATHION) UN 1993

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))