

2000/2001

AGRICULTURE

2 X 10 L

MERGAMMA

Flowable Dual Purpose
Seed Treatment

For the control of Wireworms and Seed-borne Diseases of
Wheat, Oats, Barley and Rye

AGRICULTURAL

KEEP OUT OF REACH OF CHILDREN
READ THE LABEL BEFORE USING

WARNING POISON

GUARANTEE:
maneb 262 g/L, lindane 132 g/L

REGISTRATION NO. 12767 PEST CONTROL PRODUCTS ACT

ZENECA Agro
A Business of ZENECA Corp.
#250, 3115 - 12th Street NE
Calgary, Alberta T2E 7J2

MERGAMMA Flowable is a seed treatment especially formulated
for use through liquid metering devices.

MERGAMMA Flowable controls Wireworms and the following
diseases:

WHEAT - Bunt or Stinking Smut
BARLEY - Covered and False Loose Smuts
OATS - Loose and Covered Smuts
RYE - Bunt

In addition, Seedling Blight (including Seed Borne Root Rot -
Cochliobolus sativus) of cereals will be controlled.

AGITATION BEFORE USE: Agitate thoroughly before using.

DIRECTIONS FOR USE

Prior to treating seed calibrate the treater in the normal way.

APPLICATION RATES PER 25 kg OF SEEDS

Wheat 78 mL	Oats 138 mL
Barley 100 mL	Rye 84 mL

PRECAUTIONS: Poisonous if swallowed. Dust from treated seed is poisonous if inhaled and may also cause irritation of nose, throat, eyes and skin. Avoid inhalation of dust. Wear a dust mask for protection when handling MERGAMMA Flowable treated seed. Wash after handling and before eating, drinking or smoking.

KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. Do not reuse containers. Make certain that children and animals do not have access to MERGAMMA Flowable or to used containers.

If treated seed must be stored, label as follows: POISONOUS TO MAN AND ANIMALS. THIS SEED HAS BEEN TREATED WITH MERGAMMA FLOWABLE, CONTAINING MANEB FOR THE CONTROL OF SEED-BORNE DISEASES AND LINDANE FOR THE CONTROL OF WIREWORMS.

Do not use treated seed in the feed or foodstuffs. Store treated seed away from feed and foodstuffs and always in a well ventilated place. Do not store treated seed more than 30 days. Keep away from fire. For preservation. DO NOT allow product to become overheated during storage. Do not contaminate ponds, lakes and streams. Lindane is toxic to fish, birds and other wildlife.

FIRST AID: **If swallowed,** induce vomiting and get medical attention immediately. Take container or label with you. **If in eyes,** flush with water for 15 minutes, then get medical attention. **If on skin,** wash with plenty of soap and water.

TOXICOLOGY: Lindane is an organochlorine insecticide. Barbiturates may be given to control convulsions. Oxygen may be indicated.

STORAGE: Product freezes at -20EC. Product stored below this temperature will reconstitute to satisfactory utility if

thoroughly warmed and shaken or stirred before use.

DISPOSAL: Rinse the emptied container thoroughly and add the rinsings to the treatment tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada. Dispose of surplus treated seed by burying; do not leave it exposed to birds or animals.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

0286

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))