

92.04.15

HILLCREST OATMEAL RAT PACK
RAT &MOUSE BAIT, RODENTICIDE BAIT
COMMERCIAL / AGRICULTURAL USE

NET WEIGHT 454 g

READ THE LABEL BEFORE USING

GUARANTEE:

WARFARIN..... 0.025%

REGISTRATION NUMBER 22432 PEST CONTROL PRODUCTS ACT

MANUFACTURED BY
HILLCREST FARMS LTD
BOX 490,
BRUNO, SASK, S0K 0S0

This rodenticide contains warfarin, an anticoagulant chemical that reduces the clotting ability of blood and upon repeated feeding causes fatal hemorrhage in rats and mice.

Registered in Canada for use in dwellings, farm buildings, food service establishments, granary bins (empty), processing plants (feed, food, non-food) storage areas (feed, food, non- food).

DIRECTIONS:

For Norway rat (*Rattus norvegicus*, roof rat (*Rattus, rattus*), and house mouse (*Mus musculus*), place the bait in locations frequented by such animals, such as tunnels, runways and feeding areas. For rats set out one pack, 454 g per station, for mice set out 50 to 100 g per station 3 meters (10 ft) apart. Replace bait that becomes damp and moldy. Maintain a constant supply until all feeding ceases. In food processing plants place the

bait in bait stations on the floor only. Do not place in overhead location where contamination could occur. Do not put out bait while manufacturing is in progress. Do not put out near open food stuffs.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. If taken in large repeated doses by humans or animals, it may reduce the clotting ability of the blood and cause internal bleeding. Place bait in tamper proof stations. Do not contaminate any food or water. Dispose of dead rodents in accordance with the local requirement.

FIRST AID:

If swallowed, give patient one or two glasses of water and induce vomiting by inserting a finger down the throat of patient. Repeat until all vomit is clear. Call a physician.

TOXICOLOGY INFORMATION:

Vitamin K1 in the form of intravenous, intramuscular, or subcutaneous injections, or by the oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL:

Do not reuse container. Dispose of empty container and stale bait in accordance with local requirements.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))