

95.10.05

GERMINIX

DISINFECTANT DEODORIZER

FOR USES IN FOOD PLANT, HOSPITAL AND PUBLIC AREA

INDUSTRIAL AND COMMERCIAL USE ONLY

GUARANTEE:

N-alkyl (5% C12 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium chlorides 5%

N-alkyl (68% C12, 32% C14)
dimethyl ethylbenzyl ammonium chlorides 5%

PEST CONTROL PRODUCTS ACT

REGISTRATION NUMBER 22922

DIN 02025442

CAUTION CORROSIVE

LOT NO.

READ THE LABEL BEFORE USING

4.55 L 22.7 L 205 L

SANY

Siege social
Produits Chimiques Sany Inc.

540, boul. de L'Industrie
Joliette, PQ

J6E 3Z1

(514) 759-7711

1-800-363-2776

FAX: (514) 759-3574

SUCC.: LAVAL (514)973-953

FAX: (514) 973-9532

SUCC.: TROIS-RIVIERES (819) 377-2147

FAX: (819) 377-2221

SUCC.: JOLIETTE (514) 755-3948

FAX: (514) 759-3574

SUCC.: QUEBEC (418) 877-2217

FAX: (418) 877-5396

DESCRIPTION: Sanitizer and disinfectant for restaurants, food plants, dairies, bars, public washrooms, refrigerators and hospitals.

USE DIRECTION: DISINFECTION: For the disinfection of medical or dental equipment prior to sterilization and for disinfection of barber tools. GERMINIX can not be used to sterilize objects or tools that will be in contact with internal parts of human body or objects that will be used for surgery, incisions or extractions. Submerge the object to be disinfected into a solution of 12 mL of GERMINIX per litre of water for 2 minutes. Then rinse with potable water all the objects that have been disinfected. Discard all the rest of the solution that was used for disinfection.

HOUSEKEEPING: Apply solution with mop or cloth to precleaned hard non-porous surfaces. Let stand 10 minutes. To sanitize use 2 mL per litre of water (1.25 oz. / 4 gal.) Disinfect with 5 mL of GERMINIX per litre of water (3.75 oz. / 5 gal.) Kills Staphylococcus Aureus and Salmonella Cholerasuis. Food contact surfaces should be rinsed with potable water.

HOSPITALS: For floors, walls and other hard non-porous surfaces, use GERMINIX at 6 mL per litre of water (4.5 oz. / 5 gal.) Apply with cloth, mop, or sponge. At this level, GERMINIX will be effective against Pseudomonas Aeruginosa. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

FOOD PROCESSING EQUIPMENT: For sanitization of previously cleaned food processing equipment and food utensils, dilute 2 mL of GERMINIX per litre of water (1.25 oz. / 4 gal.) To provide 200 PPM of active quaternaries. At this level, no potable water rinse is required.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails and milk cans, first clean and rinse the equipment thoroughly

then apply sanitizing solution containing 2 mL of GERMINIX per litre of water (1.25 oz. / 4 gal.) 200 PPM of GERMINIX. At this level no potable water rinse is required.

RESTAURANTS AND BARS RINSE: Wash with soap or synthetic detergent: dishes, glassware, silverware, cooking utensils; rinse thoroughly and immerse in a sanitizing solution containing 2 mL of GERMINIX per litre of water (1.25 oz. / 4 gal.) No terminal rinse required.

WARNING: If you use solution stronger than 200 PPM of GERMINIX for any place objects or surfaces, a potable water rinse is required.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

PRECAUTIONS:

Corrosive liquid. May cause severe eye irritation. May cause skin irritation. May absorb through skin to cause adverse health effect. Harmful if inhaled above threshold limit. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Avoid breathing vapours. KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

EYES: Immediately flush eyes with plenty of water for at least 15 minutes. INHALATION: If inhaled remove victim to fresh air.

INGESTION: If swallowed, DO NOT induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY. DRINK 3 TO 4 GLASSES MILK OR WATER.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))