5011

MELNOR (R)

SPRAY GUARD (TM)

DOMESTIC

liquid insect spray

DIAZINON

kills insects on lawns, fruits & ornamentals.

ATTACH, SPRAY, & THROW AWAY!

500 mL

Spray Guard distributes up to 133 L of solution

GUARANTEE:

Diazinon..... 12.5%

READ THE LABEL BEFORE USING.

REG. NO. 20476 P.C.P. ACT

CAUTION POISON

MELNOR MANUFACTURING LTD., P.O. BOX 1236 BRANTFORD, ONTARIO N3T 5T3

DIRECTIONS FOR USE: Attach spray bottle to garden hose by connecting coupling nut tightly to hose and turning until black arrow aligns with OFF position. Turn water on at faucet. Push dark green button up and turn bottle until button seats into notch 1 or 2 (see below). To start spraying, turn coupling nut to align black arrow with ON. To spray water only, or for storage purposes, turn bottle until dark green button clicks to

"W" notch. To stop spraying, turn coupling nut to align black arrow with OFF.

APPLICATION:

Setting "W": Water only (no chemical). Storage Position.

Setting 1: For chinch bugs and clover mites: spray

thoroughly wetting grass - apply 45 mL per 10

square metres. Repeat in 7 days.

For ants, sod webworms, leather jackets - apply 30 mL per 10 square metres. Repeat as necessary.

Setting 2: For control of insects, aphids, carrot rust fly,

caterpillars, fleabeetle, fruit fly, leafhopper,

leafminer, mealybug, mite, pine shoot moth,

potato beetle, rose chafer, scales, thrips, root

maggot.

CROPS OR PLANTS: apple, apricot, cherry, grape, peach, pear, plum, strawberry, bean, beet, broccoli, cabbage, carrot, cauliflower, celery, cucumber, lettuce, onion, parsnip, pepper, potato, radish, spinach, tomato, azalea, birch, boxwood, carnation, cedar, crabapple, fir, ivy, juniper, mums, oak, pine, spruce, rose, yew: - spray when insects are first noticed: repeat

as needed. For carrot rust fly maggot and fruit fly maggots, spray every week between June 20 and July 31st. Do not apply to a food crop within 10 days of harvest, except for the following limitations: tomato - 1 day; cauliflower, broccoli, pepper, strawberry - 5 days; beans, cabbage, cucumber - 7 days; apple, pear, beet, potato - 14 days; grape & peach - 20 days.

CUTWORMS ON ALL VEGETABLES: Apply 60 mL on 9 square metres before planting and rake in 8 to 10 cm deep.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Do not get into eyes. Avoid contact with skin or inhaling spray mist. Wash thoroughly after handling. Avoid contaminating food or feed. This product is poisonous to bees, fish and wildlife; spray flowers in late evening only; do not contaminate water supplies, ponds, etc. Avoid drift, spray when winds are calm.

DISPOSAL: Wrap and dispose of empty unit in regular garbage. NOT REFILLABLE. DO NOT REUSE.

KEEP FROM FREEZING.

FIRST AID: Product contains petroleum distillates; if swallowed,

do not cause vomiting but rush patient to a hospital taking this labelled container with you. If in eyes, flush with clear water for 15 minutes and get medical attention. If patient is unconscious, give him air.

TOXICOLOGY: Stomach lavage. Diazinon is an organophosphorous. Cholinesterase inhibitor; atropine is antidotal.

PATENT PENDING.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))