DEARCIDE 700 Reg Trade Mark

INDUSTRIAL

DANGER

CORROSIVE

POISON

READ THE LABEL BEFORE USING

REGISTRATION NO. 13931
PEST CONTROL PRODUCTS ACT

COOLING WATER MICROBISTAT

NET CONTENTS

LITRES

DEARBORN CHEMICAL COMPANY LTD.

PLANT AND OFFICES: 3451 ERINDALE STATION ROAD

MISSISSAUGA, ONTARIO

L5A 2S9

MAILING ADDRESS: P.O. BOX 3060 STATION A MISSISSAUGA, ONTARIO L5A 3T5

GUARANTEE:

DIRECTIONS: Initial shock dosages of 100 to 125 ppm Dearcide 700 are recommended to control bacterial slimes and algae encountered in recirculating cooling water systems. Badly fouled systems should be mechanically cleaned before treatment is begun. After control is evident, shock dosages may be reduced to 50 to 85 ppm or applied less often. For control of bacteria in closed systems, feed 125 ppm DEARCIDE 700 followed several days later by a second application. See Product Bulletin 52-700 for additional information.

ECOLOGICAL: Do not contaminate or store near feed or food stuffs. This product is toxic to fish and wildlife. Treated effluent should not be discharged where it will drain into lakes,

ponds, streams or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

CAUTION: Keep out of reach of children. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. DO NOT USE IN POTABLE WATER.

FIRST AID: In case of contact, immediately flush eyes and skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. Never give anything by mouth to an unconscious person. If inhaled, remove person immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against shock, respiratory depression and convulsion may be needed.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of ENVIRONMENT CANADA.
- 5. For small spills, recover free liquid. Soak up residue with solids absorbent. Do not flush into surface streams. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER: This control product is to be used only in accordance with the direction on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

KEEP FROM FREEZING

Flammable Liquid NOS (Isopropanol) PIN 1993

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))