

15-SEP-1999

Real-Kil

Soil & Turf Insect Control
Granules

KILLS INSECTS THAT
DAMAGE LAWNS
& VEGETABLES GARDENS

Contains Chlorpyrifos

Kills insects above & below the ground
including ants, white grubs, European chafer
larvae, chinch bugs, sod webworms, crickets,
earwigs, sowbugs, cutworms & root maggots

DOMESTIC

GUARANTEE:

chlorpyrifos 0.5%

REGISTRATION NO. 25890

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 500 g

DIRECTIONS FOR USE

Turf and Lawns: Make no more than 2 applications per season.
White grubs, European chafer larvae, Japanese beetle larvae.
Apply 400 g per 10 m² and water into turf. Apply when grubs
are small and feeding near soil surface, usually in late July
or August.

Ants - Apply 200 g/10 m². Treat ant nests and trails. Chinch
Bugs - Apply 200 g/10 m² at first sign of damage. Water
thoroughly. Keep off lawn until dry. Sod Webworms - Apply 200
g/ 10 m² at first sign of damage. Water thoroughly. Keep off
lawn until dry.

Ornamental Shrubs and Bushes: Ants, crickets, earwigs, sowbugs, spiders, cutworms, white grubs, European chafer larvae and Japanese beetle larvae. Apply to turf or to soil around plants at a rate of 400 g/10 m². Make no more than 2 applications per season.

Gardens: For control of cutworms and root maggots apply if damage is expected. Use on broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, carrots, celery, cucumber, green pepper, onion, potato, sweet corn and tomato. Apply 200 g/10 m² of soil surface before planting. Do not make more than one application per year. Rake soil lightly to incorporate granules into top 5 cm of soil. Do not use on green bunching onions.

Days to wait between application and harvest:

Crop	Days
Broccoli	32
Brussels sprouts	32
Cabbage	32
Cauliflower	32
Carrot	60
Celery	70
Chinese cabbage	32
Cucumber	60
Green Pepper	40
Onion	60
Potato	7
Sweet corn	70
Tomato	70

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Do not store granules with food or feed or drinking water. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes. Avoid contact with skin and eyes. Avoid inhaling dust from granules. Wash thoroughly with soap and water after using. Do not ship or store with food, feeds, drugs or clothing.

WARNING: This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish, ponds and fish bowls.

FIRST AID

If swallowed, induce vomiting. Contact a physician or a poison control centre at once. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

TOXICOLOGICAL INFORMATION

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote.

DISPOSAL

Do not reuse container.

Dispose of empty container with household garbage.

Made for Realex
Division of United Industries Corp.
P.O. Box 15842
St. Louis, MO, USA
63114-0842

Questions or comments?
Call 1-800-897-8524

© 1999

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))