

20-MAY-2005 Notification received of a label change. See below for this change.

18-DEC-2007 Notification - Change in Registrant Address

24-AUG-2001

READY-TO-USE

WeedEx®

**WEED CONTROL
FOR YOUR LAWN**

Controls: Dandelion, Plantain, Chickweed, Clover, Creeping
Charlie and most other broadleaf lawn weeds.

KEEP OUT OF REACH OF CHILDREN

REG. NO. 26605 P.C.P. ACT

DOMESTIC

GUARANTEE: 2,4-D.....1.9 g/L
Mecoprop (d-isomer).....1.0 g/L
Dicamba.....0.18 g/L
(All present as Dimethyl Amines)

READ THE LABEL BEFORE USING

NET CONTENTS: 2L, 1L

Notification Change

~~Virterra Products Corporation
RR # 7, Site 7 Box 16
Calgary AB T2P 2G7~~

~~Weed Master Western Inc.
8459 23rd Avenue N.E., Calgary, AB T1Y 7G9~~

~~®REGISTERED TRADEMARK OF WEEDMASTER INC.~~ Teragro Inc.P.O. Box 137
Chestermere AB
T1X 1K8

**WEEDEX® READY-TO-USE WEED CONTROL
SHAKE WELL BEFORE USE**

PRECAUTIONS:

Harmful if swallowed. Avoid contact with skin, eyes, or clothing.

KEEP OUT OF THE REACH OF CHILDREN. **Protective Clothing: Wear long-sleeved shirt, long pants, socks and shoes. Operator Use Precautions:** Wash hands before eating, drinking using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before re-use. **General Precautions:** Do not

use on Bent grasses or where Clover is desired. Do not store near seed, fertilizer, insecticides or fungicides. Do not allow to freeze. Do not re-use empty containers. Rinse well and dispose in regular garbage. **Re-entry Interval:** Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

DIRECTIONS:

The nozzle is closed when the product is purchased. To open, depress the button on the top of the nozzle and adjust the nozzle to achieve the desired spray pattern. The more the nozzle is unscrewed the coarser the spray pattern. Coarse sprays are less likely to drift than fine sprays. Stand close to the weed. No need to bend down. Wet the weed with one or two short bursts.

Maximum Application Frequency: For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

WEEDS CONTROLLED: Dandelion, Plantain, Black Medick (yellow clover), Buttercup, Chickweed, Clover, English Daisy, Ground Ivy (creeping Charlie), Knotweed (ironweed), Poison Ivy, Ragweed, Shepherd's Purse, Bedstraw, Heal-All, Devil's Paint Brush.

NOTE: Excessive wetting on grasses around weed may cause some injury.

FIRST AID: IF IN EYES rinse with water for 15 minutes. IF ON SKIN wash off with soap and water. IF SWALLOWED induce vomiting (use syrup of ipecac) and obtain medical attention or contact a poison control centre.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

MADE IN CANADA

Manufactured by:

~~Weed Master Western Inc.~~
~~8459 23RD Avenue N.E.~~
~~Calgary, AB T1Y 7G9~~
~~www.weedex.com~~

Teragro Inc.
P.O. Box 137
Chestermere AB T1X 1K8

Notification Change

This label transcript service is offered by the Pest

Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.
+))