

96.05.23

MULTI SAN

DETERGENT - DISINFECTANT

Cleaner - Detergent - Deodorizer - Disinfectant - Sanitizer

Fungicide - against pathogenic fungi

Mildewstat - on hard, inanimate surface

GUARANTEE:

n-Alkyl (5% C12; 60% C14; 30% C16; 5% C18)
dimethyl benzyl ammonium chloride .. 1.6%
n-Alkyl (68% C12; 32% C14) dimethyl
ethylbenzyl ammonium chlorides 1.6%

REGISTRATION NO. 21523

PEST CONTROL PRODUCTS ACT

CAUTION

CORROSIVE

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

ONLY FOR SALE TO, AND USE AND STORAGE BY SERVICE PERSONS.

READ THE LABEL BEFORE USING.

SEE MATERIAL SAFETY DATA SHEET FOR MORE INFORMATION.

AVOID CONTAMINATION OF FOOD

NET CONTENTS

4 LITRES 20 LITRES 210 LITRES

MULTIBLEND LTD.
2720 Slough Street
Mississauga, Ontario
L4T 1G3

PROUDLY CANADIAN
QUALITY SERVICE DEPENDABILITY

Multi San is a cleaner, disinfectant and sanitizer for general use in schools and light industrial applications. When used as directed, Multi San is formulated to disinfect inanimate hard surfaces (such as walls, floors, sinks, tops, toilet bowls, tables, chairs and telephones). For larger areas, such as restrooms, the product is designed for both general cleaning and disinfecting. In addition, Multi San deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, toilet bowls and any other areas which are prone to odours caused by micro-organisms.

DISINFECTION: Multi San exhibits effective disinfectant activity against *Salmonella choleraesuis*, *Staphylococcus aureus* and *Pseudomonas Aeruginosa* organisms for hard inanimate surfaces (such as walls, floors, table tops). Dilution Rates: General Disinfection: Add 15 mL Multi San per L of water. Disinfection: Add 24 mL Multi San per L of water. Efficacy tests have demonstrated that Multi San is an effective Bactericide and Fungicide in the presence of organic soil (5% Blood Serum). Toilet Bowls: Add 75 mL Multi San per litre of water directly to the bowl water. **MOLD AND MILDEWSTAT:** Multi San prevents and controls mold and mildew and the odours they cause on hard non-porous inanimate surface (such as walls, floors and table tops). Add 15 mL Multi San per L of water. Repeat application at weekly intervals or when mildew growth reappears. **SANITIZATION:** To sanitize previously cleaned and rinsed non-porous surfaces, prepare 200 ppm active quaternary Multi San solution by adding 6 mL Multi San per L of water. Sanitize immobile items (such as tanks and counter tops), flood the area with 200 ppm Multi San solution or apply with a wet cloth or sponge, making sure to wet all surfaces completely for at least 60 seconds. Let air dry. Prepare a fresh solution for each use. To sanitize mobile items immerse in 200 ppm solution for at least 60 seconds, making sure to immerse completely. Prepare a fresh solution daily or more frequently as soil is apparent. **FOOD CONTACT SURFACES:** Rinse with potable water after cleaning.

PRECAUTIONS:

Hazardous to Humans and domestic animals. Keep out of reach of children. Causes severe eye and skin damage. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food.

DANGER: Corrosive to eyes.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician, or a poison control centre immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

STORAGE: Do not contaminate water, food or feed by storage and disposal. Storage: Store in dry place no lower in temperature than 10'C or higher than 50'C.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))