

89.06.20

CO-OP (R) Aero-Tack

CONVENIENT AEROSOL INSECTICIDE FOR THE CONTROL OF FLIES AND
MOSQUITOES ON DAIRY CATTLE, BEEF CATTLE, HORSES AND HOGS.

READ THE LABEL BEFORE USING

COMMERCIAL

GUARANTEE:

Pyrethrins.....50%
Piperonyl Butoxide.....5.0%

DANGER

EXPLOSIVE

EXTREMELY FLAMMABLE

REGISTRATION NO. 15858
PEST CONTROL PRODUCTS ACT

NET CONTENTS 900 g

INTERPROVINCIAL COOPERATIVE LIMITED
P.O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9

WINNIPEG TORONTO MONTREAL MONCTON

(R) Registered Trade Mark Interprovincial Cooperative Ltd.

DIRECTIONS: HORN FLY, HOUSE FLY, DAIRY CATTLE AND BEEF CATTLE
MOSQUITOES AND STABLE FLY (Lactating and Non Lactating) Spray
animals once daily with a fine mist using 30-60 g per animal.
Spray for 10-20 seconds down each side of the animal. Cover
animal entirely but do not wet hair. Treat dairy animals before
milking.

Do not use more than once a day. Wash udders after spray but
before milking. When fly population is under control treatments
may be reduced to once every two days or as necessary. Do not
spray in animal's eyes.

HORSES AND HOGS HOUSE FLY, HORSE FLY AND MOSQUITOES

Spray animals daily with a fine mist. Use 15-30 g per animal per
day. Use only lower rate on hogs. Do not spray in animals eyes.
To apply these rates spray for 6-12 seconds down each side of the
animal. Cover animal but do not wet hair or skin.

MILK ROOMS

To kill all flies present in the milk room close doors and windows. Spray upward in a sweeping motion until room fills with mist. Keep room closed for 15 minutes and then ventilate for 30 minutes before re-entering. Use only when milk room is not in operation. Cover or remove any milking equipment during spraying. Cover bulk tank loading and unloading valves.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover milk and milking utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using.

Contents under pressure. Do not puncture or incinerate. Do not store at a temperature above 50 degrees C or near an open flame.

FIRST AID: If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, obtain medical attention at once.

DISPOSAL: Dispose of empty container with regular garbage.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

LIMITATION OF WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising out of the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))