

21-JAN-1997

C-I-L

2 L

READY-TO-USE

TRI-KIL(R)
PREMIUM LAWN
SPOT WEEDER II

DOMESTIC

REG. NO. 24531.01 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

2,4-D 3.0 g/L

Mecoprop (d-isomer) 3.0 g/L

Dicamba 0.3 g/L (All present as amines)

C-I-L Products - A Division of
Wilson Laboratories Inc.
Dundas, ON L9H 3H3

DIRECTIONS FOR USE: APPLY THIS PRODUCT AS IT IS PURCHASED. DO NOT MIX WITH WATER OR OIL. Use trigger spray attachment enclosed. Apply when weeds are actively growing. Do not water for 24 hours. Rain within 6 hours reduces effectiveness. Spray acts within a few days and weeds gradually die. Grass fills in as weeds disappear. Some weeds may require up to 4 weeks for complete kill. Repeat in 3-4 weeks if necessary.

CONTROLS: Bedstraw, Black Medick (Yellow Clover), Buttercup, Chickweed, Clover, Dandelion, Devil's Paintbrush, English Daisy, Ground Ivy (Creeping Charlie), Heal-All, Knotweed, Narrow-leaved

Plantain (Ribgrass), Plantain, Poison Ivy, Ragweed, Shepherd's Purse, Wild White Clover.

PROTECTIVE CLOTHING: Wear long-sleeved shirt, long pants, socks and shoes.

DIRECTIONS FOR USE OF TRIGGER SPRAY:

1. Remove sprayer from reusable bag.
2. Unscrew original cap from container and retain it in plastic bag.
3. Place tube through hole in sprayer cap, then insert tube into bottle and screw on cap.
4. Open nozzle about one turn.
5. Point sprayer at desired area, and pump trigger until spray begins.
6. Adjust nozzle as desired... fine stream for spot treatment, wide mist for broad application.
7. When temporarily not in use, keep trigger sprayer above liquid level of container to prevent leakage from nozzle.
8. To store, unscrew cap, remove sprayer and carefully drain tube into bottle by squeezing trigger. Re-cap container with original cap.
9. Rinse sprayer tube with clear water before storing in the plastic bag supplied. NOTE: Trigger sprayer is to be used only for this product. REMEMBER...ALWAYS STORE PESTICIDES, CAPS, SPRAYERS AND RELATED EQUIPMENT OUT OF REACH OF CHILDREN AND PETS.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin and clothing. Avoid breathing vapours or spray mist. Harmful to some desirable plants. Avoid spraying flowers, shrubs, vegetables and fruit crops. Bentgrass may be injured. Do not store container near seeds, fertilizers, insecticides or fungicides. KEEP FROM FREEZING.

RE-ENTRY INTERVAL: Do not allow people (other than the applicator) or pets on the treatment area during application. Do not enter treated areas until spray has thoroughly dried.

OPERATOR USE PRECAUTIONS: Wash hands before eating, drinking, using tobacco or using the toilet. After treating, wash thoroughly. If pesticide penetrates clothing, remove immediately; then wash contaminated skin thoroughly and shower. Launder contaminated clothing separately before re-use.

FIRST AID: If in eyes, flush with water for 5-10 minutes. Obtain medical attention or contact a poison control centre. If on skin, remove contaminated clothing and wash skin with soap and water. If swallowed, rinse mouth with water. Drink water to dilute. Call doctor or poison control centre if symptoms of poisoning occur.

DISPOSAL: Do not re-use empty container. Wrap in newspaper and dispose of empty container in household garbage.

For additional product information or in case of emergency, spills or fire call toll-free 1-800-268-2806.

C-I-L is a trademark of Zeneca Corp.
TRI-KIL is a registered trademark of Sanex Agro Inc.
Wilson Laboratories Inc. is a licensed user.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))