93.06.03

UNITED PEST CONTROL PLUS

KILLS SPIDERS, SOWBUGS, EARWIGS, COCKROACHES, CRICKETS, MILLIPEDES, SILVERFISH, ANTS, HORNETS, WASPS, BEES, FLEAS, TICKS, CARPET BEETLES, AMERICAN DOG AND BROWN DOG TICKS.

PRESSURIZED CONTACT AND RESIDUAL SPRAY WITH PROPOXUR. UPC DUAL ACTION

DOMESTIC

READ THE LABEL BEFORE USING

REG.NO. 22385 P.C.P. ACT

GUARANTEE:

0010001100.	
PYRETHRINS	0.05%
PIPERONYL BUTOXIDE	0.1%
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE	0.166%
PROPOXUR	0.5%

WARNING FLAMMABLE EXPLOSIVE

285 g

UNITED PEST CONTROL ONTARIO 1885 CLEMENT ROAD, UNIT 201, PICKERING, ON L1W 3V4

DIRECTION FOR USE: For use as a crack and crevice treatment or spot treatment to control insects mentioned on the front panel. Shake well before use. Hold container approximately 30 cm from surface being sprayed and spray until wet. Thorough applications produce a coating which will vaporise into cracks and crevices for insect control. If reinfestation occurs, repeat applications as necessary. Provide adequate ventilation after indoor use. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.

INDOOR USE: Thoroughly treat cracks, crevices, baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings and other places where insects are seen. For ticks and fleas, treat sleeping quarters of pets and floor coverings (rugs and carpets). REMOVE PETS AND ANIMALS BEFORE SPRAYING AND KEEP THEM AWAY FROM SPRAYED AREAS UNTIL DRY. Replace bedding in animals' quarters after treatment. DO NOT TREAT ANIMALS. Do not use in areas where food is prepared, handled or stored.

OUTDOOR USE: Spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, or congregate and enter. Wasp and hornet nests: Release a fine spray that allows treatment of nests from one meter away. Treat at night or late evening when insects are inside the nest. Apply spray with 2-3 seconds bursts directly into the nest opening so that the liquid contacts the inside of the nest. If unable to spray directly into the nest, a heavy residual spray around and into the opening where insects gain entrance will eventually eliminate the pests. Repeat as necessary.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. FLAMMABLE. Contents under pressure. Avoid contact with eyes, skin or clothing. Do not puncture or incinerate. Do not expose to temperatures over 50 deg C. Do not spray near open flame. Do not smoke while using. Do not spray towards eyes. Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and use with adequate ventilation. Do not use as a space spray. Remove pets and cover fish bowls before spraying.

FIRST AID: If on skin, wash with soap and water. If in eyes, rinse with plenty of water. If irritation persists, consult a physician. If accidentally ingested, obtain medical attention. Propoxur is a mild cholinesterase inhibitor. Atropine is antidotal.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product under that condition.

DISPOSAL: When container is empty, press button to release all pressure, then wrap and dispose in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.))