

94.10.28

LINDANE 11%
CONCENTRATE / CONCENTRE
AGRICULTURAL / AGRICOLE
LOUSE SPRAY / CONTRE LES POUX
GUARANTEE / GARANTIE:
GAMMA BHC (Lindane).....11%
REGISTRATION NO. 23347
PEST CONTROL PRODUCTS ACT
NO. D'ENREGISTREMENT 23347
LOI SUR LES PRODUITS ANTIPARASITAIRES
WARNING / AVERTISSEMENT
POISON
NET CONTENTS 500 mL CONTENU NET

MULTI-VET LTD
MONTREAL, QUEBEC H3E 1L1

DIRECTIONS AND LIMITATIONS FOR USE (LINDANE 11% SOLUTION): Mix 40 mL of LINDANE 11% concentrate with 9 L of water. Apply to animal with a pump sprayer or with a cloth or brush. Be sure to treat base of tail, inside of flanks, legs and underside of neck. All animals should be sprayed before stabling or being put out to pasture. Do not use on sick and emaciated animals. Do not use on dairy animals or in milk room. Do not use on meat animals within thirty days of slaughter.

INDICATIONS AND DOSAGE: BEEF: For lice and ticks, apply as an overall spray using 1.2 to 2.3 L of LINDANE 11% solution per animal. For lice, repeat in 14 to 18 days. DO NOT use on calves under three months of age.

SWINE: For lice, fleas and mange, apply as an overall spray using 1.2 to 2.3 L of LINDANE 11% solution per animal. For lice, repeat in 14 to 18 days. Pay particular attention to sanitization of farrowing pens/barns in order to avoid infestation of piglets. It is not recommended to treat sows within 2 weeks of farrowing.

SHEEP AND HORSES: For lice and fleas, apply as an overall spray using 2.4 to 4.5 L of LINDANE 11% solution per animal. For lice, repeat in 14 to 18 days. DO NOT use on colts under three months of age.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation. Wash thoroughly after handling or using and before eating and smoking. Wash contaminated clothing before re-use. Do not contaminate ponds, lakes or streams. LINDANE is toxic to fish, birds and other wildlife. Avoid treating areas inhabited by wildlife.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

FIRST AID: This product contains petroleum distillate. If swallowed, DO NOT induce vomiting. Obtain medical attention immediately. In case of skin contact, rinse with soap and water. In case of eye contact, rinse with water and get prompt medical attention.

TOXICOLOGY: Lindane is an organochlorine insecticide. Poisonous if swallowed, inhaled or absorbed through the skin.

SYMPTOMS OF POISONING: Nausea, vomiting, hyper-irritation, convulsions and/or coma, and other symptoms typical of organochlorinated insecticide poisoning. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep patient quiet. Avoid use of morphine and adrenaline.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))