

93.09.03

WETCIDE 4040

MICROBICIDE

COMMERCIAL

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE:

1-bromo-3-chloro-5,5-dimethylhydantoin.....	60.0%
1,3-dichloro-5,5-dimethylhydantoin.....	27.4%
1,3-dichloro-5-ethyl-5-methylhydantoin.....	10.6%
Available bromine.....	39.2%
Available chlorine.....	44.4%

REGISTRATION NO. 22972
PEST CONTROL PRODUCTS ACT

NET CONTENTS: kilograms

WATER ENERGY TECHNOLOGIES
3017 St. Clair Avenue, Suite 372
BURLINGTON, Ontario
L7N 3P5

PRECAUTION
KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear safety glasses (goggles), rubber gloves and body-protective clothing. Refer to the Material Safety Data Sheet.

EMERGENCY AND FIRST AID INSTRUCTIONS

Eye exposure: Flush with clean, cool water for at least 15 minutes or longer until irritation subsides. See a physician if

irritation occurs.

Skin exposure: Wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse.

Inhalation: Use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with copious amounts of water or milk, first. Irrigate the oesophagus and dilute stomach contents by slowly giving one to two glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing, DO NOT GIVE FLUIDS BY MOUTH. Seek medical attention immediately.

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food or feed by storage or disposal.

CONTROLS THE GROWTH OF ALGAE, BACTERIA AND FUNGI

DIRECTIONS FOR USE

1) RECIRCULATING COOLING WATER SYSTEMS

INITIAL DOSE: Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 120 to 1200 gums per 10,000 liters of water (12 - 120 ppm) should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident.

SUBSEQUENT DOSE - INTERMITTENT OR SLUG METHOD: When microbial

control is evident, add 120 to 900 gms per 10,000 liters of water (12 - 120 ppm) every one to three days or as needed. The frequency of addition will depend on the relative amount of bleed-off and the severity of the microbiological problem.

SUBSEQUENT DOSE - CONTINUOUS FEED METHOD: When microbial control is evident, continuously feed to maintain a dosage of 120 to 900 gms per 10,000 liters of water (12 - 120 ppm) in the system.

2) INDUSTRIAL AIR WASHING SYSTEMS

INITIAL DOSE: Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 120 to 1200 gms per 10,000 liters of water (12 - 120 ppm) should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident.

SUBSEQUENT DOSE - INTERMITTENT OR SLUG METHOD: When microbial control is evident, add 120 to 720 gms per 10,000 liters of water (12 - 72 ppm) every one to three days or as needed. The frequency of addition will depend on the relative amount of bleed-off and the severity of the microbiological problem.

SUBSEQUENT DOSE - CONTINUOUS FEED METHOD: When microbial control is evident, continuously feed to maintain a dosage of 120 to 720 gms per 10,000 litres of water (12 - 72 ppm) in the system.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))