

01-MAY-1998

LIME SULPHUR

INSECTICIDE, FUNGICIDE

For Fruit Trees, Berries, Roses and Other
Ornamental Plants for both Dormant and Summer Season Use

DOMESTIC

CAUTION

CORROSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 24243

PEST CONTROL PRODUCTS

GUARANTEE:

Sulphide Sulphur.....22%

NET:1 L

UNITED AGRI

PRODUCTS

RR#2

Dorchester, Ontario

N0L 1G5

Distributor:

UNITED HORTICULTURAL SUPPLY

RR#2

Dorchester, Ontario

N0L 1G5

Lime Sulphur: 1 Tablespoon - 15 mL 1000 mL - 1 Litre

DIRECTIONS FOR USE

LIME SULPHUR for fungus and mite problems on fruit trees and small fruit: When used in combination with DORMANT OIL SPRAY it is an excellent clean up spray for dormant fruit trees. Do not spray when foliage is wet. Spray to point of run-off; Cover completely. LIME SULPHUR may cause leaf yellowing and defoliation; particularly if applied in the calyx or early summer without previous application in pink.

WARNING: LIME SULPHUR may injure "sulphur shy" varieties. Do not use unless local experience has proved that Sulphur is safe to use. Consult local Agricultural Authorities. Do not spray on painted surfaces as staining or discoloration may occur. During season, may be used up to 1 day before harvest.

HOW TO USE THE CHART BELOW

1. Locate FRUIT and PEST to be controlled on left.
2. Add amount of LIME SULPHUR needed. Mix and spray as shown in column opposite PEST to be controlled.

FRUIT	PESTS	WHEN TO SPRAY	MIXING RATE
			Use the following amounts per Litre of water of spray
APPLES	Blister mites Rust mites	Dormant	100 mL
and	San Jose scale, European scale General clean up	Dormant Season	50 mL Lime Sulphur Plus 12 mL Dormant Oil spray
PEARS	Apple scab, Pear scab, Powdery mildew	During Summer At pre-pink, pink, calyx, 1st & 2nd cover spray	12 mL
	The apple variety "Delicious" may be injured by summer spraying with Lime Sulphur.		
PRUNES and PLUMS	San Jose scale, European scale Mites, Aphid-eggs, General clean-up	Dormant Season	50 mL Lime Sulphur Plus 12 mL of Dormant Oil Spray

PEACHES	Peach leaf curl, San Jose scale, European scale	Dormant Season	100 mL
	Twig borer	During Summer At Pink	100 mL
	Powdery mildew	During Summer At Petal fall	12 mL Repeat at two week intervals
CHERRIES	San Jose scale, European scale, Mites, General clean-up	Dormant Season	50 mL Lime Sulphur Plus 12 mL of Dormant Oil Spray
STRAWBERRIES	Powdery mildew, Fruit rots	Spring (when growth starts)	15 mL
	Powdery mildew	3 wks. after harvest	15 mL
RASPBERRIES	Scales, Spur blight, Cane blight, Rust	Delayed Dormant	35 mL
BLACKBERRIES	Redberry mite	Delayed Dormant	50-75 mL
		When fruit arms 7-15 cm	25-35 mL
LOGANBERRIES	Leaf spot, Cane spot	Delayed Dormant	35 mL
GOOSEBERRIES	Powdery mildew	Before earliest blossoms open	15 mL
		Calyx	15 mL
ROSES	Rose scale, Canker Black spot	Dormant Season Before buds break	100 mL/1 L water.
	Black spot, Mildew	During Summer	5 mL (1 teaspoonful) in 3 L water every one to two weeks.
TREES & SHRUBS	Scale Insects on bark and needles, Maple gall mite	Dormant Season	100 mL in 1 L water.

	Spruce gall aphid		30 mL (2 tablespoonfuls) in 1 L water
COMBINATION DORMANT SPRAY: Fruit trees, roses and deciduous ornamentals. For overwintering insects, eggs, oyster shell scale, San Jose, rose scale, black scale as well as overwintering fungus disease.			40 mL (8 teaspoonfuls) Lime Sulphur and 20 mL (4 teaspoonfuls) Dormant Oil in 1 L of water.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Lime Sulphur Solution is caustic to the skin and harmful to the eyes.

FIRST AID: In case of contact, wash with large amounts of water. If in eyes, flush with large amounts of water for 15 minutes and get medical attention. If swallowed, give water and call a doctor or poison control centre immediately. Do not induce vomiting.

TOXICOLOGICAL INFORMATION: May yield hydrogen sulphide by decomposition before or after ingestion.

DISPOSAL: Do not reuse container. Wrap empty container in newspaper. Dispose of in household garbage.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))