

07-JUN-2002. Notification of Company Name change received. See below for new company name.

29-SEP-1998

Aero-Plus

INSECTICIDE COMMERCIAL

Pressurized

For the control of Flies and Mosquitoes
on Dairy Cattle, Beef Cattle, Horses and Hogs.

GUARANTEE

Pyrethrin	0.55%
Piperonyl Butoxide	4.40%

READ THE LABEL BEFORE USING

This product contains 74,85% methylene chloride
which has been determined to be of
toxicological concern.

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

REGISTRATION NO. 18024
PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

700 g

Notification Change

~~Plus~~ **Plus 9021-7993 Inc.**

300, Chapleau, suite 101, Saint-Hyacinthe J2S 6V9

DIRECTIONS: Dairy cattle (lactating and non-lactating) and beef cattle horn fly, house fly, mosquitoes and stable fly. Spray animals once daily with a fine mist using 30-60 g per animal. Spray for 10-20 seconds down each side of the animal. Cover animal entirely but do not wet hair. Treat dairy animals before milking. Wash udders after spraying but before milking. When fly population is under control treatments may be reduced to once every two days or as necessary. Do not use more often than once a day.

HORSES AND HOGS
HOUSE FLY, HORSE FLY AND MOSQUITOES

Spray animals daily with a fine mist. Use 15-30 g per animal per day. Use lower rate on hogs. To apply these rates spray for 6-12 seconds each side of the animal. Cover animal but do not wet hair or skin. Do not use more often than once a day.

MILKING PARLOR: Remove all animals before using as a space spray. Close doors and windows. At a rate of 200 mL / 100 m³, spray upward in a sweeping motion until room fills with mist. Keep room closed for 15 minutes and then ventilate. Cover or remove any milk or milking equipment before spraying, cover bulk tank loading and unloading valves. Wash all food processing equipment with potable water before resuming operation.

PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN.

Do not inhale spray mist. Avoid spraying directly into the eyes of the animals. Avoid contact with skin. Wash after using. Avoid contamination of feed and water troughs. Avoid inhalation. Do not use in rooms where milk is processed handled or stored. Do not use in presence of open flame or spark. Do not contaminate any body of water.

FIRST AID: In case of contact with eyes or skin, flush with water. If irritation persists, seek medical attention. If accidentally swallowed, call a physician or poison control centre.

CONTENTS UNDER PRESSURE: Do not puncture or incinerate. Do not store at temperature above 50°C or near an open flame. Do not throw container in fire or incinerator.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory agency or the Manufacture.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising out of the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))