

93.05.05

CONTENU NET  
10L  
NET CONTENTS

MULTIVAP III

Insecticide pour bétail et bâtiments de ferme  
Barn and Livestock spray solution

Solution prête à l'emploi/Ready to use solution

Pour bâtiments de ferme, bovins laitiers et bovins de boucheries.  
For farm buildings, dairy cattle and beef cattle.

AGRICOLE  
AGRICULTURAL

Bien agiter avant usage

Shake well before using

GARANTIE (P/P)  
GUARANTEE (W/W)

Dichlorvos.....	0.20%
Pyréthrines.....	0.02%
Butoxide de pipéronyle.....	0.10%
Di-N-Propyl-isocinchoméronate.....	0.30%
Dichlorvos.....	0.20%
Pyrethrins.....	0.02%
Piperonyl Butoxide.....	0.10%
Di-N-Propyl-Isocinchomeronate.....	0.30%

LIRE L'ETIQUETTE AVANT L'EMPLOI/READ LABEL BEFORE USING

DANGER                      POISON

EXTREMEMENT INFLAMMABLE  
EXTREMELY FLAMMABLE

NUMERO D'ENREGISTREMENT  
15967.01 REGISTRATION NUMBER

LOI SUR LES PRODUITS ANTIPARASITAIRES  
PEST CONTROL PRODUCTS ACT

MULTI-VET, LTEE./LTD.  
JOLIETTE, CANADA J6E 3Z1

MULTIVAP III

DIRECTIONS: To control gnats, horn flies, stable flies and mosquitoes. Ready-to-use solution.

Space Spray: Kills flying insects in farm buildings (dairy barns, beef barns, stables, etc.). Direct spray upwards to all parts of the room especially windows and other light sources with hand or electric fogger. Apply at a rate of 200 mL to 300 mL of solution per 100 m<sup>3</sup>. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Leave room closed for 10 minutes before ventilating. Ventilate treated areas thoroughly for at least 30 minutes before animal reentry. Spray only when temperature is under 32°C.

Livestock Spray: To treat beef cattle and dairy cattle against attacks by gnats, horn flies, stable flies, and mosquitoes. Spray animals, once daily with a fine mist. Apply at a rate of 30 to 60 mL per animal. Spray enough to wet ends of the hair only, do not completely wet the hair or skin. Take care not to spray in animal's eyes, mouth or udders. Treat dairy cattle before milking. Wash udders before milking. Do not use more often than once a day.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Remove animals from barn during application. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not use in rooms where milk is processed, handled or stored. Cover milking utensils to prevent contamination from spray and dead insects. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Wash after using. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Wash contaminated clothing before reuse. Do not contaminate feed, food or litter. Do not contaminate any body of water. Highly toxic to crabs, fish and shrimp. Harmful to wildlife if allowed to contaminate lakes and streams. Do not apply for within 8 hours to areas where livestock have received treatment. Do not use in areas where beekeeping equipment or supplies are stored. Store in original container away from feed and food. Keep tightly closed.

DISPOSAL: Follow provincial instructions for any required

cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes, flush with clear water for 15 minutes; get medical attention. If accidentally swallowed, DO NOT induce vomiting and obtain medical attention immediately. Dichlorvos is a cholinesterase inhibitor. ATROPINE is antidotal. Morphine is contraindicated.

NOTICE TO USER: This control product is to be used only in accordance with the direction on this label. It is an offence under the Pest Control Products Act to use control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))