

2000/2005

Formula 594 Algaecide

LIQUID MICROBICIDE

INDUSTRIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Poly[oxyethylene (dimethyliminio)ethylene (dimethyliminio)-
ethylene dichloride].....20% (by weight)

REGISTRATION NO. 24186
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 75 litres

ENVIRONMENTAL HAZARDS:

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food, or feed by storage or disposal.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

TO ORDER CALL:
Ontario & Quebec 1-800-668-6513

Other Provinces 1-800-387-9639

STATE^(R) CHEMICAL LTD.
1745 Meyerside Drive Unit #1
Mississauga, Ontario L5T 1C6

^(C) Copyright 1995 - State Chemical Ltd.

PRECAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear safety glasses (goggles), rubber gloves and body-protective clothing. **Refer to the Material Safety Data Sheet.**

FIRST AID

Eye Exposure: Flush with clean, cool water for at least 15 minutes or longer until irritation subsides. See a physician if irritation occurs.

Skin Exposure: Wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse.

Inhalation: Use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with copious amounts of water or milk, first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol or alcohol related products. In cases where the individual is semi-comatose, comatose or convulsing, **DO NOT GIVE FLUIDS BY MOUTH.** In all cases, seek immediate medical assistance.

TOXICOLOGICAL INFORMATION:

Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning. 3. Dispose of the container in accordance with provincial requirements. 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada. 5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

**BROAD SPECTRUM LIQUID MICROBICIDE
FOR CONTROL OF ALGAE, BACTERIA AND FUNGI**

**NON FOAMING
EFFECTIVE AT BOTH ACID AND ALKALINE pH**

DIRECTIONS FOR USE

1)Cooling Tower Systems:

Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 210 to 525 mL per 10,000 liters of water should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 60 to 525 mL per 10,000 liters of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

2)Industrial Air Washing Systems:

Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 75 to 120 mL per 1,000 liters of water should then be added to the sump or the water collector trays. Repeat the initial dosage until control is evident. Subsequent slug additions of 55 to 120 mL per 1,000 liters of water should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))