

19-FEB-1999

FORMULA OMNITROL

300-CK

INDUSTRIAL

GUARANTEE:

2-Methyl-4-isothiazolin-3-one....0.09%  
5-Chloro-2-methyl-4-isothiazoline....0.28%

REGISTRATION NO. 23930  
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE

NET CONTENTS

NALCO CANADA INC.  
1055 Truman Street,  
P.O. Box 5002,  
Burlington, Ont. L7R 3Y9  
Tel: (905) 632-8791

In Case of Emergency, Phone (1-800-463-3216) (24 Hrs.)

LIQUID MICROBICIDE

NON FOAMING

TO CONTROL ALGAE, BACTERIA AND FUNGI IN RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS. IS EFFECTIVE AT ALL pH VALUES AND WILL NOT CAUSE FOAM.

DIRECTIONS FOR USE: Prior to the use of OMNITROL 300-CK in water cooling towers, systems should be cleaned to remove algae growth and microbiological slime and other deposits. OMNITROL 300-CK must be fed continuously to obtain a system concentration of 200 - 400 ppm of Omnitrol 300-CK.

PRECAUTIONS: Harmful if swallowed. Avoid breathing vapours.

Avoid contact with skin, eyes or clothing. Wear goggles or face shield and rubber gloves when handling. This product is a potential skin sensitizer.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters. Do not reuse empty containers.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsing to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

FIRST AID INSTRUCTIONS -

IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Seek medical attention.

IF ON SKIN: Wash with plenty of soap and water. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: DO NOT INDUCE VOMITING: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Centre immediately.

IF INHALED: Remove immediately to fresh air. If not breathing apply artificial respiration. If breathing is difficult, give oxygen. Call a physician.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))