

99/2004

AIRKEM

OMEGA®

DISINFECTANT-DETERGENT DEODORANT

COMMERCIAL

GUARANTEE:

n-alkyl (5% C₁₂, 60% C₁₄, 30% C₁₆, 5% C₁₈)
dimethyl benzyl ammonium chlorides 6.0%
n-alkyl (68% C₁₂, 32% C₁₄) dimethyl ethyl
benzyl ammonium chlorides 6.0%

REGISTRATION NO. 15276
PEST CONTROL PRODUCTS ACT

CAUTION CORROSIVE

READ THE LABEL BEFORE USING

20 L

D.I.N. 00801771

Airkem Professional Products
Division of Ecolab Ltd.
5105 Tomken Rd.
Mississauga, Ontario
L4W 1X5

OMEGA is a disinfectant/detergent/fungicide/virucide/odour counteractant. Intended for use in hospitals, nursing homes and related institutions, food and beverage processing, preparation and service institutions, retail, manufacturing, educational and recreational facilities.

OMEGA at a dilution of 4 mL per litre is an effective disinfectant against the following: (at 2 mL/L it acts as a sanitizer):

BACTERIA: *Escherichia coli*, *Klebsiella* spp, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Salmonella cholerasuis*, *Serratia marcescens*, *Shigella flexneri*, *Staphylococcus aureus*.

FUNGI: *Aspergillus niger*, *Candida albicans*, *Trichophyton interdigitale*.

VIRUSES: Canine distemper, Feline pneumonitis, Herpes simplex, Influenza A2 (aichi), Parainfluenza (Sendai), vaccinia.

DIRECTIONS: Prepare an accurate dilution in hot or cold water using Airkem's metering pump. To increase detergent in heavily soiled areas use two strokes. Apply solution to wet surfaces thoroughly with clean mop, sponge, cloth, scrubber or sprayer. Remove solution and suspended soil with clean wet mop, sponge, cloth or wet vacuum pickup. Surfaces subject to food contact must be thoroughly rinsed with potable water.

OMEGA at a dilution of 4 mL/L kills the Human Immunodeficiency Virus (HIV) on hard non-porous surfaces.

Personal Protection: On handling items soiled with blood or body fluids wear personal protection such as disposable gloves, gowns, mask or eye protection.

Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant solution.

Directions: Prepare an accurate dilution of 4 mL/L in hot or cold water. Apply solution with clean mop, sponge, cloth or sprayer. Allow 10 minutes contact wet time. Remove solution or suspended soil with clean wet mop, sponge, cloth or wet vacuum pick up.

Disposal of Infectious Materials: Blood/body fluids should be autoclaved and disposed of according to local regulations for infectious waste material.

CAUTION: KEEP OUT OF REACH OF CHILDREN Corrosive, causes eye damage and skin irritation. Avoid contact with eyes or skin. Wear rubber gloves and splash-proof glasses, goggles or a face shield when handling this product. Avoid contamination of food.

FIRST AID: (concentrated form)

EYES: Immediately flush with plenty of cool running water. Remove contact lenses. Continue flushing for at least 15 minutes holding eyelids apart to ensure rinsing of the entire eye.

SKIN: Immediately flush with plenty of cool running water. Wash thoroughly with soap and water.

IF SWALLOWED: DO NOT INDUCE VOMITING. Rinse mouth immediately, then drink one or two glasses of water or milk. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

TOXICOLOGICAL INFORMATION: Because of probable mucosa damage omit gastric lavage.

NOTE: Not an irritant in use dilution form.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

airkemJ
PROFESSIONAL PRODUCTS

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))