

2000/2002

DIVERSEY Wyandotte Inc.

Net 22 Litres

DIVERSIDE K

READY TO USE INSECTICIDE SOLUTION FOR FOGGING OR SPRAYING FOR
USE IN FOOD PROCESSING PLANTS AND FARMS

Kills flies, mosquitoes, cockroaches, silverfish, fleas, flour
weevils, grain beetles and meal moths.

COMMERCIAL

GUARANTEE:

Pyrethrins..... 0.125%
Piperonyl Butoxide1.00%

REGISTRATION NO. 18386
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

DANGER POISON CAUTION FLAMMABLE

Diversey Wyandotte Inc.
2645 Royal Windsor Drive,
Mississauga, Ont. L5J 1L1

Branches:

Dartmouth - Candiack, P.Q. - Winnipeg - Edmonton - Vancouver
Sanitary Products Ltd., St-John's Newfoundland

DIRECTIONS

Space Spray:

When used with mechanical and/or thermal fog generator, use
solution as is. All animals must be removed from barn/building
before fogging. Use to kill flies and mosquitoes. Close all

doors and windows and shut off all ventilating systems. Using the spray equipment to dispense insecticide solution as a fine mist, apply at a rate of 325 mL of liquid insecticide per 100 cubic meters of room space. Direct the mist upward to all parts of the room, especially windows and other light sources. Wherever possible keep doors and windows closed for 30 minutes after each treatment. Also direct the mist into areas where insects are present. Do not remain in treated areas. Spray only when temperature is under 32°C.

Ventilate treated areas thoroughly for at least 30 minute before animal re-entry. Following ventilation clean up dead insects. Where the fog or mist have been in contact with food handling equipment, clean such equipment and utensils in accordance with good housekeeping practice before use, and rinse with potable water.

Exposed foodstuffs should be removed from all areas to be treated before treatment.

During the fly season it may be necessary to spray daily. For crawling insects such as cockroaches, grain beetles, spray at least once a week.

For Spot Spraying with a Hand or Electric Sprayer

Use to kill cockroaches, silverfish, fleas, flour weevils, grain beetles, and meal moths. Using the solution as is, apply as directed according to the manufacturer's instructions, using a hand sprayer or electric sprayer. Apply the spray into all cracks and crevices and hiding places, such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Insects must be contacted to be killed. Use at a rate of approximately 325 mL per 100 square meters of room surface. Leave the room closed for 20 to 30 minutes. Do not remain in the treated area.

When spraying animal quarters remove animals from the area to be sprayed and do not spray onto the animals or pets.

PRECAUTION

This product contains petroleum distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray or mist. Wear protective clothing.

Harmful if swallowed, inhaled or absorbed through skin.

Wash thoroughly with soap and water after handling. Do not contaminate feed, water, or foodstuffs. In food processing

plants and food service establishments apply only when plant is NOT in operation and remove all food before treatment. Cover all food processing surfaces, and thoroughly clean with potable water before resuming operations. Do NOT use in rooms where milk is processed, handled or stored.

KEEP OUT OF THE REACH OF CHILDREN. Do not use near birds, fish or pets.

Do not spray on plastic or varnished surfaces.

Do not spray closer than one metre to fabric.

Dispose of empty container in regular garbage.

FIRST AID

Product contains petroleum distillate, if swallowed, DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin wash with soap and water. If irritation persists obtain medical attention.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))