BIRD ARCHER INC. Branches: COBOURG, ONTARIO St. John's K9A 4M2 Montreal

> Waterloo Winnipeg Edmonton Vancouver

FORMULA / FORMULE

3448

GUARANTEE: GARANTIE:

disodium cyanodithioimidocarbonate 14.7% potassium N-methyldithiocarbamate 20.3%

REGISTRATION No./No. D'ENREGISTREMENT: 17643

PEST CONTROL PRODUCTS ACT
ACTE LOI SUR LES PRODUITS ANTIPARASITAIRES

DANGER
CAUTION ATTENTION
CORROSIVE CORROSIF
POISON

INDUSTRIAL / INDUSTRIEL
LIQUID MICROBICIDE / LIQUIDE MICROBICIDE

TO CONTROL ALGAE, BACTERIA, AND FUNGI IN RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS.

POUR LE CONTROLE DES ALGUES, DES BACTERIES ET DES FONGUS DANS LES TOURS DE REFROIDISSEMENT PAR EAU, COMMERCIALES ET INDUSTRIELLES.

FORMULA 3448 is a broad-spectrum liquid microbicide, that WILL NOT CAUSE FOAM

LA FORMULE 3448 est un microbicide liquide à grande portée qui est non mousseux.

READ LABEL BEFORE USING LIRE L'ETIQUETTE AVANT L'EMPLOI

KEEP OUT OF REACH OF CHILDREN TENIR HORS DE LA PORTEE DES ENFANTS

WATER TREATMENT CONSULTANTS SINCE 1885
CONSULTANTS EN TRAITEMENT DE L'EAU DEPUIS 1885

DIRECTIONS FOR USE: Prior to the use of FORMULA 3448 in water cooling towers, systems should be cleaned to remove algae growth, microbiological slime, and other deposits. Then make an initial slug addition of 125 to 245 mLs of FORMULA 3448 per 10,000 litres of water in the system. Repeat initial dosage until control is evident.

Make subsequent slug additions of 40 to 245 mLs of FORMULA 3448 per 10,000 litres of water every 1 to 5 days or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers.

PRECAUTIONS: Harmful if swallowed. Workmen handling the product should wear rubber gloves and goggles and should avoid contact of the product with clothing or skin. After any exposure, wash promptly and thoroughly with an abrasive soap and cool water and finally with glycerin. Keep the drum closed when not in use. Do not reuse container. Destroy when empty.

FIRST AID AND TOXICOLOGY: If swallowed, call a physician immediately. Give patient doses of powdered charcoal immediately or all he can swallow of raw egg whites, milk, gruel, or flour and water. Then induce vomiting. In case of persistent irritation of the skin, obtain medical attention. If the product gets into the eyes, flood eyes immediately and thoroughly with cool water for 15-30 minutes. See a physician if any irritation persists.

NOTICE TO USER: This control product is to be used only in accordance with the directions of this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))