

87.05.14

COPELAND

RESEARCH TODAY FOR PRODUCTS OF TOMMORROW

RESIDUAL INSECTICIDE SPRAY

PRESSURIZED

KILLS ON CONTACT: ANTS, COCKROACHES, SPIDERS, EARWIGS,
MILLIPEDES, AND CERTAIN OTHER SPECIFIED CRAWLING INSECTS.

COMMERCIAL

FOR USE IN NON-FOOD AREAS ONLY

KEEPS KILLING AFTER IT DRIES

READ LABEL BEFORE USING

REGISTRATION NO. 19900 PEST CONTROL PRODUCTS ACT

GUARANTEE: PROPOXUR 0.5%

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

425 g

COPELAND LABORATORIES, TORONTO
REXDALE, ONTARIO M9W 2Z6

DIRECTIONS: Shake before use. Use aerosol inverted. INDOOR USE:
SPOT OR CRACK AND CREVICE TREATMENT TO CONTROL: ANTS
COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SAW-TOOTHED GRAIN
BEETLES (exposed stage): Spray into cracks, crevices, around
baseboards, and other places where these insects can hide. Apply
behind and beneath cabinets, refrigerators, sinks, stoves, and in
and around waste containers. For ants spray trails and places
where ants enter premises. Repeat as needed. Do not contaminate

foodstuffs or spray house-plants. Remove pets and cover fish bowls before spraying. Do not allow children to contact treated surfaces until surfaces are completely dry. Do not apply as a space spray or to edible areas of food plants.

BROWN DOG TICKS: Do not spray animals. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and other areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying.

OUTDOOR USE: SPOT TREATMENT TO CONTROL ANTS, CLOVERMITES, CRICKETS, EARWIGS, FLEAS, FLIES, GNATS, HORNETS, MILLIPEDES, MOSQUITOES, SOWBUGS, BROWN DOG TICKS AND WASPS: Spray infested areas thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray hills and runways. For control of wasps and hornets, spray nests at night. Repeat as necessary. Do not spray vegetation. In addition to rapid initial kill, Residual Spray stays on treated surfaces and kills insects many weeks after the spray deposit has dried.

FIRST AID: Contains petroleum distillates. If swallowed, DO NOT INDUCE VOMITING. Obtain medical attention immediately. In case of poisoning, call a physician immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and water. If eyes are contaminated wash immediately with flowing water for at least 15 minutes. Contact physician if irritation persists.

NOTE TO PHYSICIAN Propoxur is a carbamate cholinesterase inhibitor. Atropine is antidotal.

PRECAUTION: Keep out of reach of children. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with eyes, skin and clothing. Wash contaminated clothing before re-use. Contents under pressure. Do not place in hot water or near radiators, or other sources of heat. Do not puncture or incinerate or store container at temperatures over 50°C. May stain finished surfaces if sprayed too closely. Do not contaminate food, utensils or food preparation areas. Contains petroleum distillates. Do not store product, pour or use near open flame. Wear mask or respirator when applying spray mist.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

FOR INDUSTRIAL USE ONLY

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))