

[FRONT PANEL - ENGLISH]

Scotts® EcoSense™

[ICON] Care Today, Benefit Tomorrow™

GARDEN INSECTICIDE DUST II

DOMESTIC

CONTROLS INSECTS ON FLOWERS, FRUITS AND VEGETABLES
CONTAINS ROTENONE (GROUND CUBE ROOT) AND FORMULATED WITH
DIATOMACEOUS EARTH (FOSSILIZED MARINE PLANTS).

NET CONTENTS: 100 g to 500 g

GUARANTEE:

Silicon Dioxide (present as 100% Diatomaceous Earth)	81.7%
Rotenone	0.9%

REG. NO.: 28473
P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Scotts Canada Ltd.
2000 Argentia Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7
1-800-668-5669

[BACK PANEL - ENGLISH]

DIRECTIONS FOR USE:

For control of chewing and sucking insects in the home or garden. To use, remove cap and cut tip above the top line with scissors. Very lightly dust the foliage on both sides of the leaves. Hit the insects directly when possible. For protection of bees, early or late dusting hours are recommended (while the blooms are closed). Reapply cap after use. This product may be applied up to 1 day before harvest.

FRUITS & VEGETABLES	INSECTS CONTROLLED	REMARKS
Broccoli, Cabbage, Cauliflower	Cabbage Looper, Diamond Back Moth, Imported Cabbageworm	Use this dust as soon as any insect damage becomes apparent. Repeat as necessary.
Cucumbers, Melons, Squash	Blister Beetles, Cucumber Beetles, Squash Vine Borers	For Squash Vine Borers, keep base of plants thoroughly dusted. Apply weekly starting when the first true leaves appear.
Asparagus, Potatoes	Asparagus Beetles, Colorado Potato Beetles, Potato Leafhopper	Use this dust as soon as insects appear. For aphids, dust when plants are wet with dew. Repeat as necessary.
Radishes	Flea Beetles	Apply when insects first appear. Repeat as necessary.
Beans	Mexican Bean Beetles	Apply when insects first appear. Repeat as necessary.
Tomatoes	Tomato Worms	Apply when insects first appear. Repeat as necessary.
Raspberries, Blackberries	Fruit Sawflies	Apply when blossom buds appear and repeat just before blossoms open.
Currants	Imported Currant Worm	Apply soon after fruitset. Repeat one week later.
Gooseberries	Fruitworm	Apply when berries turn red and webbing is noticed.

FLOWERS	INSECTS CONTROLLED	REMARKS
Roses	Aphids, Rose Chafers, Rose Leafhoppers	Use this dust as soon as insects appear. For aphids dust when plants are wet with dew. Repeat as necessary.
Flowers and Flowering Plants	Aphids, Beetles, Loopers, and other chewing and sucking insects	

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid breathing dust, contact with eyes, contamination of food and feed. Wash after handling and before eating, drinking or smoking. This product is poisonous to fish and wildlife. Do not contaminate domestic, recreational and irrigational waters.

FIRST AID:

If **swallowed**, bring patient to hospital, taking labelled container.
If **in eyes**, flush with water and get medical attention or contact a Poison Control Centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL:

Do not re-use empty container. Wrap and dispose of empty container in household garbage.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product

Product Use Information: 1-800-668-5669

Web Site: www.scottscanada.ca

® used under license by Scotts Canada Ltd.

™ used under license by Scotts Canada Ltd.

© 2006, Scotts Canada Ltd. World rights reserved.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.