CLEARWATER

ALGICIDE LIQUIDE CONCENTRE

LIQUID ALGAECIDE CONCENTRATE

DOMESTIQUE DOMESTIC

DETRUIT LES ALGUES DANS L'EAU DES PISCINES.

CONTROLS ALGAE IN SWIMMING POOL WATERS.

NO. D'ENR. L.P.A. REG. NO. 17405.06 P.C.P. ACT

GARANTIE / GUARANTEE:

Poly (oxyethylene, (dimethylimino)
Ethylene-dichlorure de (dimethylimino)
ethylene)......40%

500 mL

LIRE L'ETIQUETTE AVANT L'EMPLOI READ THE LABEL BEFORE USING

*SANI-MARC 42, Boul. de l'Artisan, Victoriaville, QC. G6P 7E3

DIRECTIONS FOR USE:

- 1. Initial dosage for pool water having no visible algae is 100 mL of Concentrated Algaecide per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 35 mL per 10,000 L.
- 3. For pool water having visible algae, superchlorinate following label instructions of POOL-SHOCK and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination is not employed, add 150 mL of Concentrated Algaecide per 10,000 L.

PRECAUTIONS:

- Keep out of reach of children.
- Harmful if swallowed.
- Do not mix with any other chemical.
- Avoid contact with skin and eyes.
- Rinse container thoroughly before discarding. Do not reuse.
- To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID:

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, drink 2 or 3 glasses of milk or water. Call a physician IMMEDIATELY.

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))