HUNTINGTON

FIRING SQUAD

PRESSURIZED

## INSTITUTIONAL & GARDEN SPRAY

READ LABEL BEFORE USING

CONTAINS PYRETHRINS & TECHNICAL PIPERONYL BUTOXIDE KILLS FLIES, MOSQUITOES, ANTS, COCKROACHES, GNATS, SILVERFISH

FOR INDUSTRIAL USE ONLY

CAUTION EXPLOSIVE

CONTAINER MAY EXPLODE IF HEATED

REGISTRATION NO. 16268.02

PEST CONTROL PRODUCTS ACT

## **GUARANTEE:**

PYRETHRINS30	용
PIPERONYL BUTOXIDE, TECHNICAL	엉
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE1.00	응

439 G

HUNTINGTON LABORATORIES OF CANADA LIMITED
15 VICTORIA CRESCENT
BRAMALEA, ONTARIO
L6T 1E3

SHAKE BEFORE USE KEEP UPRIGHT WHILE SPRAYING

DIRECTIONS FOR USE: To kill flies, mosquitoes, gnats, wasps and flying moths: Close all windows and doors and direct spray upward into centre of room with slow, sweeping motion. Spray 5 to 10 seconds for average room. Keep nozzle 1 metre from

surfaces. Keep room closed for 15 minutes after spraying. Ventilate before spraying. To kill cockroaches, silverfish, crickets and ants: Spray baseboards, cracks, crevices, moist areas and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and ant trails over window and door sills and other locations. Repeat as necessary for control.

FOR OUTDOOR AND FLOWER GARDEN USE: For caterpillars, climbing cutworms, Japanese beetles, aphids, lace bugs, leafhoppers, thrips (exposed) and spider mites. For bugs on such plants a Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also for bugs on evergreens and small ornamental deciduous trees, shrubs and vines. For best results, spray in evening or on a cloudy day when air is still. Use slow sweeping motion. Keep can 45 cm from plants. Avoid wetting foliage with the spray. Spray rows at the rate of 30 cm per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperature exceeds 32'C.

PRECAUTIONS: Keep out of reach of children. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50'C. May stain finished surfaces if sprayed too closely.

In meat packing plants, food processing plants and food service establishments, only spray when plant is not in operation. No exposed food or meat products, ingredients or packaging materials are to be left in the room. Cover food handling equipment. Any treated surface that may contact meat food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food processing.

DISPOSAL: Dispose of used container in accordance with local requirements.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))