

85.12.31

TETRALATE (R)  
READY-TO-USE INSECTICIDE JDC 236

CONTAINS A COMBINATION OF TWO HIGHLY ACTIVE SYNTHETIC  
PYRETHROID COMPOUNDS.

DOMESTIC

GUARANTEE:

TETRAMETHRIN.....0.250%  
Related compounds.....0.035%  
\*RESMETHRIN.....0.25%  
Related compounds.....0.045%

\*CIS/TRANS isomer content:  
Max. 30% (+) CIS and min. 70% (+) TRANS.

REG.NO. 16124 P.C.P. ACT

READ THE LABEL BEFORE USING

NET WEIGHT: 911 millilitres

FAIRFIELD CHEMICAL CANADA LTD.  
238 WILSON AVENUE  
NEWARK, NJ 07105 USA

DIRECTIONS FOR USE

SHAKE WELL BEFORE USE.

INDOORS:

For control of FLIES, GNATS, MOSQUITOES, and SMALL FLYING MOTHS:  
Close doors and windows and shut off ventilating systems. Using  
a conventional mechanical or compressed air spraying or fogging  
equipment, apply as a fog or fine mist directing the spray  
towards the upper portions of the room and towards windows and  
other light sources which attract these insects. Thoroughly fill  
the area with mist using 50 to 100 mL per 100 cubic meters of  
space. Keep area closed for at least 10 minutes. Vacate after  
treatment and ventilate before reoccupying. Repeat treatment as  
needed.

To control WASPS and HORNETS: Direct the spray at these insects  
when possible. Spray thoroughly into nests, hiding and breeding

places when insects have settled at night.

To control ANTS: Spray trails, nests and points of entry. Spray directly on ants when possible. Repeat as necessary.

To control COCKROACHES, CENTIPEDES, CRICKETS, BOXELDER BUGS, EARWIGS, SPIDERS and SOWBUGS: Apply as a coarse droplet spray directed into cracks, crevices and other hiding places along baseboards, around the base of appliances and cupboards. Spray badly infested areas daily. In other areas, repeat treatments twice weekly or when reinfestation occurs.

#### INDOORS: ON HOUSE PLANTS AND IN GREENHOUSES

For control of APHIDS, TWO-SPOTTED SPIDER MITES and WHITE FLIES(adult) on the following plants:

African violets	Lantana
Aralia	Neathe Bella Palm
Christmas Cherry	Petunia
Chrysanthemum	Rose
Diffenbachia	Snapdragon
Fuschia	Azalea
Cineraria	Eunonymus
Gloxinia	Marigolds
Ivy	Zinnia

Shake well before using. Hold spray container 50 centimeters from the plants, directing the spray so that upper and lower leaf surfaces are contacted. Use caution on new growth and tender foliage. Repeat as necessary. When using outdoors, spray when air is still.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be thoroughly cleaned before using. Avoid breathing of vapor or skin contact. Avoid contact with eyes. In case of contact, flush with water. Do not smoke while spraying. Remove pets, birds and cover fish aquariums before spraying.

FIRST AID: If in skin, wash with soap and water. If in eyes, flush with plenty of water. See physician. If swallowed, see physician.

DISPOSAL: Wrap and dispose of with garbage.

NOTICE TO USER: This control product is to be used only in accordance with directions on this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under

unsafe conditions.

SELLER'S GUARANTEE shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )