

93.01.07

PAR-O-SAN "F"

POWDERED FUMIGANT

2 kg

FOR AGRICULTURAL USE ONLY

FOR FUMIGATING EGGS FOR HATCHING,
EGG ROOMS, LIVESTOCK BARNs, POULTRY HOUSES.

GUARANTEE:

FORMALDEHYDE..... 91% (W/W)

REGISTRATION NO. 14869 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

WARNING POISON

List No. 3713

Distributed By

Solvay Animal Health, Inc.
209 Manitou Drive
Kitchener, Ontario N2C 1L4

DIRECTIONS FOR USE

Par-O-San "F" is paraformaldehyde, a white powder which produces formaldehyde gas upon heating and when used as directed kills most viruses, parasites, bacteria, fungi and molds.

POULTRY & LIVESTOCK BUILDINGS & EQUIPMENT Each kg of Par-O-San "F" will fumigate 266 cubic meters of space (3 3/4 grams per cubic meter).

1. Remove all animal life from the area to be fumigated.
2. Clean and disinfect the area completely. Leave walls, floors and ceilings wet.

3. Temperature should be above 19 deg C and the relative humidity above 65%.
4. Use an electric frying pan or pot that will hold up to 4 kg of Par-O-San "F". Place required amount into the pot and turn on heat to over 218 deg C.
5. Building should be air tight and kept closed for at least six hours. Ventilate completely before entering premises or filling with livestock or poultry.

EGGS FOR HATCHING

When fumigating eggs before hatching, use 50 g per 10 cubic meters of space (5 grams per cubic meter).

Temperature should be 21 deg C and the relative humidity 70%. Fumigate eggs for 20 minutes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Always keep containers tightly closed to prevent escape of the formaldehyde and consequent loss of strength. Do not store at temperatures below 15°C as precipitation may occur. Causes irritation of skin, eyes, nose and throat. Avoid exposure to fumes and contact with skin, eyes and clothes. Avoid prolonged or repeated contacts and breathing of vapour. Leave the room as soon as possible after treating or wear a suitable NISH/MSHA approved respirator with organic vapour cartridge or self-contained breathing apparatus to prevent inhaling of the gas fumes.

Wear chemical splash goggles to prevent eye contact. If splashing is likely, full face shield should be worn. Wear protective rubber gloves, apron and boots to prevent skin contact.

FIRST AID: In case of contact, flush with plenty of water. For eyes, call a doctor. If ingested, induce vomiting by giving a large quantity of warm salt solution and obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))