

2001/2002

FIRST AID

IF SWALLOWED: Give the patient 1-2 glasses of water and induce vomiting by inserting finger down throat. Repeat until vomiting is clean. Keep patient quiet, seek medical attention, or contact poison control center immediately.

IF IN EYES: Wash immediately with running water for 10 minutes.

IF ON SKIN: Wash with warm water and pumice soap.

Take container, label, or product name and Pest Control Product Registration Number with you when seeking medical attention.

STORAGE

Keep product away from heat source. Store in a cool dry area. If product becomes frozen, thaw and shake or agitate product.

TOXICOLOGICAL INFORMATION

Some people are skin sensitive to Maneb that results in skin rash development. If extreme sensitivity occurs, do not use this product. In some cases, protective hand creams can prevent skin rash development.

Acute toxicity of Lindane in humans is variable. In mild cases, nausea, dizziness, restlessness, frontal headaches and sometimes vomiting will occur. In severe cases, symptoms set in after a very short prodromal period - especially in children - even without warning. In fatal cases, death will follow either after a fit of convulsions or during a coma because of central respiratory failure or acute circulatory collapse.

PRODUCT INFORMATION

AGSCO DB-Green™ L is a special seed treatment formulation of Lindane and Maneb, which, when used in accordance with Directions For Use, protects crops against seedborne and soilborne diseases and controls wireworms. For use on wheat, barley, oats, and rye.

USE RESTRICTIONS

1. Do not graze or feed livestock on treated areas.
2. If the treated seed is stored, the container must be labeled as followed: "This seed has been treated with AGSCO DB-Green™ L Seed Treatment. Do not use for food, feed or processing."
3. Do not contaminate feed or foodstuffs.
4. Do not contaminate ponds, lakes or streams.

Not registered for use in the United States of America.

DB-Green™ L is a trademark of AGSCO Inc.

Printed in the U.S.A. 04/00

COMMERCIAL



A LIQUID SEED FUNGICIDE AND INSECTICIDE SEED TREATMENT

A DUAL PURPOSE READY-TO-USE LIQUID FORMULATION FOR THE CONTROL OF SEEDBORNE AND SOILBORNE DISEASES AND FOR CONTROL OF WIREWORMS TO THE 2-4 LEAF STAGE OF SEEDLINGS. FOR USE ON WHEAT, BARLEY, OATS AND RYE.

GUARANTEE:

MANEB (manganese ethylenebisdithiocarbamate) 323 g/L

LINDANE (gamma isomer of benzene hexachloride) 108 g/L

Registration No. 23,366 Pest Control Products Act

READ THE LABEL BEFORE USING



CANADIAN AGENT:
James Alexander Ferguson
Aikins, MacAulay & Thorvaldson
30th Floor, 360 Main Street
Winnipeg, Manitoba R3C 4G1



NET CONTENTS:
57 LITRES

Manufactured by AGSCO Inc. • P.O. Box 13458 • Grand Forks, ND, USA • 58208-3458
061588

DIRECTIONS FOR USE

AGSCO DB-Green™ L is designed as a ready-to-use seed treatment for on-the-farm and commercial use with a seed treater suitable for metering and mixing flowable seed treatments.

CROP	RATE Product/25 kg of seed	PESTS
Wheat	78 ml	Common bunt, root rot, and seedling blight* (including Fusarium) and for control of wireworms.
Barley	99 ml	Covered smut, false loose smut, root rot, and seedling blight, and for control of wireworms.
Oats	138 ml	Covered smut, root rot, and seedling blight, and for control of wireworms.
Rye	65 ml	Common bunt, root rot, and seedling blight, and for control of wireworms.

*Treatment with DB-Green™ L will generally improve emergence of Hard Red Spring wheat where seed has been infected with the head blight fungus (Fusarium). Wheat varieties differ in response to this disease.

Use only the recommended rate - lower amounts may not give the desired control. Higher amounts may cause seed injury. Uneven treating of seed may cause over treatment on some seed kernels and under treatment on other seed kernels. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deep seeding and exceptionally early sowing under poor growing conditions.

Recommended method of application: Use an AGSCO liquid treater or an equivalent closed seed treating system to achieve uniform chemical coverage on the seed.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Dispose of all excess treated seeds by seeding away from bodies of water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife. Do not apply directly to water. Do not contaminate any body of water by cleaning of equipment, disposal of waste and container. Apply this product as specified on this label.

DISPOSAL

Thoroughly empty the container. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with the provincial requirements. Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase. If this is an Out-N-Back™ returnable container it must be returned to AGSCO Inc. or to local distributor. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE OF USER

This control product is to be used in accordance with the directions of this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject, thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accept the product on that condition.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER - POISON SAFETY PRECAUTIONS

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust when handling treated seed. Applicators who apply this product manually or without the use of a closed system treatment procedure must wear the following protective clothing during the application process: long-sleeved shirt; long pants; impermeable gloves; and an approved pesticide respirator such as 3M Pesticide Respirator #8751 or equivalent. Contaminated protective clothing should be laundered separately from other laundry. Treat outdoors in a well ventilated place only. Wash thoroughly after handling and before smoking or eating.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))