#### CARDEL

#### SPECIAL STOCK AND DAIRY SPRAY

## SPACE AND CONTACT INSECTICIDE

### OIL SOLUTION

## COMMERCIAL

#### CONTAINS PYRETHRUM AND PIPERONYL BUTOXIDE

A READY TO USE EFFECTIVE INSECTICIDE FOR USE IN DAIRIES, DAIRY BARNS, HORSE STABLES AND PIG PENS. FOR THE CONTROL OF STABLE FLIES, MOSQUITOES, HORSE FLIES, WASPS, MOTHS OR OTHER SMALL FLYING INSECTS.

GUARANTEE: PYRETHRINS .10%
PIPERONYL BUTOXIDE .80%

REGISTRATION NO: 7902 PEST CONTROL PRODUCTS ACT

READY TO USE - DO NOT DILUTE READ LABEL BEFORE USING

NET CONTENTS 20 LITRES

CARDEL PRODUCTS LIMITED

Box 126

Brampton, Ontario

L6V 2K7

# DIRECTIONS FOR USE:

SPACE SPRAY - Apply at a rate of 100 - 200 millilitres per 100 cubic metres, through a Fogmaster or other similar fog generating equipment. Follow equipment manufacturers directions. For best results, close all doors and windows and shut off ventilating systems during treatment. Remove all animals from treatment area before using as a space spray. Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Spray only

when temperature is under 32 degrees C. Keep area sealed for 30 minutes after each treatment. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before animal re- entry. Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

LIVESTOCK SPRAY - To treat dairy cattle and horses against stable flies, horse flies and mosquitoes, spray animal once only daily with a fine mist, using either a continuous hand operated spray or a Fogmaster on the lowest setting. Spray at a rate of 30 to 45 millilitres per animal, being careful to wet ends of hair only. Do not wet hair or skin. Avoid spraying in animal's eyes. Treat dairy cattle before milking. Wash udder before milking. Do not use more often than once a day.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Flammable mixture. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Do not contaminate feed, water or food stuffs. In food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. Do not use in milk processing plants or milk parlours. Keep out of reach of children. Do not use near birds, fish or pets. Do not spray closer than 1 m to fabric. Dispose of container in regular garbage.

FIRST AID: Product contains Petroleum Distillate, if swallowed DO NOT induce vomiting. Obtain medical attention immediately. If in eyes, flush with plenty of water. If on skin, wash with soap and water. If irritation persists, obtain medical attention.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))