

2000/2001

ASSASSIN

Kills rats and mice

ALL-WEATHER

BAIT BLOX

REGISTRATION NUMBER: 23169 PEST CONTROL PRODUCTS ACT

COMMERCIAL

GUARANTEE:

Diphacinone..... 0.005%

READ THE LABEL BEFORE USING

(See left panel for additional precautionary statements)

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1.8kg (4 lbs.)

Distributed by:

CITADEL

ANIMAL HEALTH

CAMBRIDGE ON N3C 2W4

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS and WILDLIFE. Do not expose treated bait in areas accessible to children, dogs, domestic animals and wildlife, except when enclosed within a tamper-resistant bait box.

Keep away from feed or food stuffs. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. If swallowed, this material may reduce clotting ability of the blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating or smoking. Keep out of lakes, streams or ponds.

FIRST AID:

If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient one or two glasses of water and induce vomiting by touching back of throat with a finger or a blunt object; repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Contact a physician or Poison Control Centre immediately.

TOXICOLOGICAL INFORMATION: If ingested, Vitamin K1, in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

APPLICATION DIRECTIONS:

RATS: Place 3 to 16 pieces of ASSASSIN BLOX (usually at intervals of 4.5 to 9) meters per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease.

HOUSE MICE: Place 1 piece of ASSASSIN BLOX at intervals of 2.5 to 3.5 meters per placement. Two pieces may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

RATS/MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of unconsumed bait and dead exposed animals according to local or provincial requirements. To prevent reinfestation, eliminate food, water, and harbourage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

DIRECTIONS FOR USE: Use bait to control the Norway Rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*) and House mouse (*Mus musculus*) in and around dwellings, farm buildings, food service establishments (non-food areas), granary bins (empty), processing plants (feed, food, non-food areas) and storage areas (non-food).

For areas not directly related to food processing: Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed.

For areas where feed or food is processed, served or stored: In meat and food processing plants (processing areas) use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in bait stations. Remove all baits and dead rodents before re-use of the plant

(processing areas include storage and service).

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much food as possible.

DISPOSAL:

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For more information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the Manufacturer.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))