

11-SEP-1997

GREEN® CROSS

BUG-B-GON®

HORNET & WASP BLASTER

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

READ THE LABEL BEFORE USING

GUARANTEE:

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

DOMESTIC

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 24002  
PEST CONTROL PRODUCTS ACT

CONTAINER MAY EXPLODE IF HEATED

DANGER

EXTREMELY FLAMMABLE

EXPLOSIVE

NET CONTENTS: 425 grams

The Solaris Group  
A Unit of Monsanto Canada Inc.  
600-25 Watline Avenue  
Mississauga, Ontario  
L4Z 2Z1

DIRECTIONS:

To control wasps, hornets, bees and yellow jackets.

1. Remove protective cap.
2. Point nozzle directly at the wasp nest or the insect.
3. Stand 2-2.5 metres from target. Do not stand directly under nest.
4. Press the button and completely soak the wasps nest.

Do not approach nest until insects are dead. If possible apply to wasp nests in late evening or early morning when insects are at rest in the hive.

LIMITATIONS:

Do NOT use inside homes, on humans or animals. Do NOT use as a space spray.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not contaminate food, food utensils, food preparation areas. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate or store at temperatures over 50'C. DO NOT USE IN THE PRESENCE OF AN OPEN FLAME OR SPARK.

FIRST AID:

If on skin, wash immediately with soap and warm water. If in eyes, flush for 15 minutes with water. If irritation develops, consult physician. If accidentally swallowed, obtain medical attention or contact a Poison Control Centre at once.

TOXICOLOGICAL INFORMATION:

Propoxur is a cholinesterase inhibitor. Atropine sulfate is antidotal. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy and treat symptomatically.

DISPOSAL:

When container is empty, press button to release all pressure then dispose of in household garbage. Do not puncture or incinerate.

Product Use Information: 1-800-668-5669

(R) Registered trademark of Monsanto Company, Monsanto Canada Inc. licensee.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))