

31-MAR-1998

INSECTICIDE

CO-OP (R)

GARDEN MAGGOT KILLER

GRANULES (INSECTICIDE)

250 g

DOMESTIC

GUARANTEE:
Diazinon 5%

REG. NO. 09958
P.C.P. ACT

CAUTION

POISON

READ THE LABEL BEFORE USING.

INTERPROVINCIAL COOPERATIVE LIMITED
P. O. BOX 1050 SASKATOON, SASKATCHEWAN S7K 3M9
WINNIPEG MISSISSAUGA MONTREAL MONCTON

DIRECTIONS: To control root maggots and other vegetable insects, follow directions on the table below. On sandy soil, about 1 cm of soil should cover the insecticide in seed furrow and separate the seed from the chemical; otherwise, damage to the vegetable crop may result. The treatment must be applied uniformly in the seed row.

CROP	INSECT PESTS	RATE PER 10 METRES OF ROW LENGTH	METHOD
Onions	Onion Maggot	15 g	Apply in seed furrow at planting time.

Radishes	Root Maggot	20 g	Apply in seed furrow at planting time.
Turnips	Root Maggot	45 g	Apply as above. Two weeks after thinning make a second application in a narrow band directly above the row.
Cabbage Cauliflower Broccoli and Brussel Sprouts in Seed Beds.	Root Maggot	20 g	Apply in seed furrow at planting time.
Transplants of above crops listed	Root Maggots	80 g per 10 metres or 15 g per plant	Apply to the soil in a 10 cm radius around the stem of each individual plant soon after transplanting.
Corn	Corn Root Worm	25 g	Apply in 20 cm band over the row at planting time.
Carrots and Parsnips	Carrot Rust Fly Larvae.	10 g	Apply in seed furrow at planting time.
Gardens	Cutworms	500 g per 100 m ²	Spread over soil surface just before planting. Mix into the top 8-16 cm of soil.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. May be absorbed through the skin. Avoid contact with skin and eyes. Wash thoroughly after handling. Avoid contamination of feed and food stuffs.

FIRST AID:

1. In case of poisoning call a physician or contact a poison control centre immediately.
2. If on skin, remove contaminated clothing and wash skin thoroughly with soap and water.
3. If in eyes, flush with water immediately and continue for 5-10 minutes.

medical attention or contact a poison control centre.

4. If swallowed, induce vomiting then take patient to nearest hospital or doctor's office or contact a poison control centre. Take the pesticide label with you.

TOXICOLOGICAL INFORMATION: Atropine is antidotal.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

(R) Registered trademark of TMC Distributing Ltd. Used under license.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any resulting, directly or indirectly, from reliance upon this service.

+))