

92.11.30

BETZ
SLIMICIDE C-72P
SLIME CONTROL AGENT
INDUSTRIAL

WARNING

POISON

CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE

Contents: Briquettes

1,3-dichloro-5,5-dimethylhydantoin.....	86%
1,3-dichloro-5-ethyl-5-methylhydantoin.....	3%
Other related compounds.....	10%

REGISTRATION NO. 22755
PEST CONTROL PRODUCTS ACT

NET WEIGHT AS MARKED ON CONTAINER

PRECAUTIONS:

Harmful if swallowed. Highly corrosive. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves, chemical goggles and face shield when handling. Immediately remove and wash contaminated clothing. Wash thoroughly after handling.

FIRST AID:

In case of contact with skin, wash immediately with plenty of soap and water. Immediately contact physician.

In case of contact with eyes, flush eyes immediately with plenty of water for at least 15 minutes. Immediately contact physician.

In case of inhalation, remove person to fresh air. If irritation

persists, contact physician. Never give anything by mouth to an unconscious person.

In case of ingestion, feed gruel, cooked cereal or bread soaked in milk followed by olive oil. Immediately contact physician.

A Material Safety Data Sheet containing more detailed information relative to this product is available upon request.

ECOLOGY:

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters. Do not contaminate water by cleaning of container and equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS:

Strong oxidizing agent. Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases and possible fire and explosion. In cases of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. Flood with large volumes of water if necessary.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

DIRECTIONS FOR USE:

RECIRCULATING COOLING WATER SYSTEMS Betz Slimicide C-72P aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water towers, influent systems such as flow-through filters and lagoons, industrial water scrubbing systems and brewery pasteurizers. Slimicide C-72P may be added to the system either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

Do not use in potable water systems. Do not allow water in treated systems to come into contact with beverage. Wash beverage containers with potable water at the pasteurizer discharge end.

BADLY FOULED SYSTEMS must be cleared before treatment is begun, FOR THE CONTROL OF BACTERIA, FUNGI AND ALGAE

INTERMITTENT METHOD INITIAL DOSE:

When the system is noticeably fouled, add Slimicide C-72P at the rate of 0.12 to 1.2 kg (12 to 120 ppm) per 10,000 litres of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE:

When microbial control is evident, add Slimicide C-72P at the rate of 0.12 to 1.2 kg (12 to 90 ppm) per 10,000 litres of water in the system daily, every 3 days, or as needed to maintain control.

CONTINUOUS FEED METHOD INITIAL DOSE:

When the system is noticeably fouled, add Slimicide C-72P at the rate of 0.12 to 1.2 kg (12 to 120 ppm) per 10,000 litres of water in the system. Continue until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain dosage of Slimicide C-72P at the rate of 0.12 to 0.90 kg (12 to 90 ppm) per 10,000 litres of water in the system.

AIR WASHERS:

For use only in industrial air washer systems that maintain effective mist eliminating components. Betz Slimicide C-72P

controls slime forming bacteria, fungi and algae in industrial air washer systems. Add Slimicide C-72P at the rate of 1.12 to 1.2 kg (12 to 120 ppm) per 10,000 litres of water in the systems, depending on the severity of the contamination. Control the application by measuring the free chlorine residual in the treated water. There is no need to exceed 1.0 ppm as free chlorine.

BADLY FOULED SYSTEMS should be cleaned before treatment is begun.

INTERMITTENT METHOD INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-72P to the air washer sump or chill water sump to ensure uniform mixing. Add Slimicide C-72P at the rate of 0.12 to 1.2 kg (12 to 120 ppm) per 10,000 litres of water.

SUBSEQUENT DOSE: When microbial control is evident, add Slimicide C-72P at the rate of 0.12 to 0.72 kg (12 to 72 ppm) per 10,000 litres of water.

CONTINUOUS FEED METHOD INITIAL DOSE: When the system is noticeably fouled, add Slimicide C-72P at the rate of 0.12 to 1.2 (12 to 120 ppm) per 10,000 litres of water.

SUBSEQUENT DOSE:

When microbial control is evident, add Slimicide C-72P at the rate of 0.12 to 0.72 kg (12 to 72 ppm) per 10,000 litres of water.

FOR INDUSTRIAL USE ONLY.

Technical advice regarding specific site problems is available from Betz.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

KEEP CONTAINER TIGHTLY COVERED
PROTECT FROM FREEZING
STORE IN A DRY PLACE
DO NOT STORE AT ELEVATED TEMPERATURES

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))