

2000/2005

COMMERCIAL

West fog™  
\*Registered Trade Mark

**LIQUID INSECTICIDE**

**Contains Pyrethrins and Piperonyl Butoxide**

**GUARANTEE:**

* N-Octyl Bicycloheptene Dicarboximide	2.50%
Technical Piperonyl Butoxide	0.50%
Pyrethrins	0.50%

\* U.S. Patent No. 2,476,512  
REGISTRATION NO. 11081 PEST CONTROL PRODUCTS ACT

WEST FOG is specially formulated for use in WEST equipment.

WEST FOG is effective as a fog, contact or surface spray.

**READ LABEL BEFORE USING.**

DIVISION OF  
WEST CHEMICAL PRODUCTS OF CANADA LTD.  
10900 SECANT, VILLE D'ANJOU, PQ H1J 1S5

\*Registered Trade Mark

**DIRECTIONS FOR USE: FLYING INSECTS:** Exposed stages of flies, fruit flies, mosquitoes, gnats, bees, wasps, hornets, indian meal moths, angoumois grain moths, mediterranean flour moths. To control these and similar small flying insects, turn off all ventilating equipment, close all windows and doors. Fog WEST FOG at the rate of 50 mL per 100 cubic metres using the Jet-Fogger, WEST 1600 Fogger. Keep treated area closed for at least 10 minutes. Do not remain in treated area and ventilate the area after treatment is completed. Repeat as necessary.

**CRAWLING INSECTS:** Exposed stages of cockroaches, silverfish, ants, crickets, cadelles, confused flour beetles, saw-toothed grain beetles.

**FOR SPACE SPRAY** - turn off all ventilating equipment, close all windows and doors. Fog WEST FOG at the rate of 100 mL per 100

cubic metres, using the Jet-Fogger, WEST 1600 Fogger. Keep treated area closed for at least 1 hour. Repeat as necessary. For contact or surface spray - apply WEST FOG using the WEST 124-S or 191 Sprayer. Spray directly on insects, or where they have been seen. Spray WEST FOG at the rate of 5 litres per 100 square metres, coating the surface with a dew-like mist.

Thoroughly treat all harborages and breeding areas - cracks, crevices, undersides of work tables, behind sinks and escutcheon plates, walls, window and door frames, elevator shafts and pits, behind and under equipment, laundry carts, garbage areas, warm, dark, moist areas, void spaces, shelves. Repeat as necessary.

Dispose of empty container in a safe place.

**CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not take internally.** Avoid contamination of food. Food processing plants should be fogged when not in operation. Food should be removed or covered during treatment. Food processing equipment should be covered or thoroughly cleaned before using.

**STORE AWAY FROM HEAT OR OPEN FLAME.** Fabrics which are soiled or dusty may be stained by insecticidal fogs.

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes.

**FIRST AID:** If swallowed accidentally call a physician immediately.

**ANTIDOTE:** For ingestion or aspiration, do not induce vomiting. This product contains Petroleum distillate. Give oxygen if necessary with antibiotics to prevent or treat bacterial pneumonia, and saline cathartics to promote elimination from the digestive tract.

**NOTICE TO USER:** This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

MADE IN CANADA  
NET CONTENTS:

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any

guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))