

03-OCT-2002

Wilson
LIQUID DIAZINON ⁽²⁾
INSECT SPRAY

KILLS INSECTS ON FRUITS, VEGETABLES, LAWNS AND ORNAMENTALS

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

REG. NO. 23660 P.C.P. ACT

GUARANTEE: Diazinon 12.5%

DANGER



POISON

**Nu-Gro IP Inc.,
10 Craig St.,
Brantford, ON
N3R 7J1**

Insect Spray
LIQUID DIAZINON (2)

DIRECTIONS FOR USE: FRUITS, VEGETABLES AND ORNAMENTALS:

For use on: Apple, Apricot, Cherry, Grape, Peach, Pear, Plum, Strawberry; Bean, Beet, Broccoli, Cabbage, Carrot, Cauliflower, Celery, Cucumber, Lettuce, Onion, Parsnip, Pepper, Potato, Radish, Spinach, Tomato; Azalea, Birch, Boxwood, Carnation, Cedar, Crabapple, Fir, Ivy, Juniper, Mums, Oak, Pine, Rose, Spruce, Yew.

To control: Aphids, Carrot Rust Fly, Caterpillars, Flea Beetles, Fruit Flies, Leafhoppers, Leafminers, Mealybugs, Mites, Pine Shoot Moth, Potato Beetle, Rose Chafer, Scales, Thrips, Root Maggots.

Mix 60 mL (4 tablespoonfuls) in 10 litres of water. Spray when insects are noticed and repeat as needed; for Carrot Rust Fly Maggot and all Fruit Fly Maggots, spray every week between June 20th and July 31st. Also, consult Provincial Home Garden Guide.

Do not apply to a food crop within 10 days of harvest except for the following : Tomato – 1 day; Broccoli, Cauliflower, Pepper, Strawberry – 5 days; Beans, Cabbage, Cucumber – 7 days; Apple, Pear, Beet, Potato – 14 days; Grape and Peach – 20 days.

CUTWORMS IN ALL VEGETABLES: Apply 60 mL (4 tablespoonfuls) in 10 L of water on 9 square metres immediately BEFORE planting and rake into soil 8 to 10 cm deep.

DISPOSAL: Dispose of empty container with household garbage. Do not reuse empty container.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Do not get into eyes. Avoid contact with skin and inhaling spray mist. Wash thoroughly after handling. Avoid contaminating food and feed. This product is poisonous to bees, fish and wildlife. Spray flowers in late evening only. Do not contaminate water, ponds, etc.

FIRST AID: Product contains petroleum distillates. **If swallowed,** DO NOT cause vomiting but rush patient to hospital, taking this labeled container with you. **If in eyes,** flush with water for 15 minutes and get medical attention. **If patient is unconscious,** give him/her air. **If on skin,** wash thoroughly with soap and water. If irritation develops, get medical attention. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Stomach lavage.
Cholinesterase inhibitor. ATROPINE is antidotal.

For additional product information or in case of emergency, spills or fire, call toll free 1-800-268-2806.

www.wilson.nu-gro.com

1101

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))