

19-MAY-1999

FOR INDUSTRIAL USE ONLY

CHEMSEARCH

DOUBLE-QUICK II

INSECTICIDE

COMMERCIAL

READ THE LABEL BEFORE USING

GUARANTEE:

Pyrethrins 0.30%  
Technical Piperonyl Butoxide 1.50%

Contains Petroleum Distillates

REGISTRATION NO. 25415

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: \_\_\_\_\_ LITRES

NATIONAL CHEMSEARCH  
Div. Of NCH Canada Inc.  
245 Orenda Road  
Brampton, Ontario L6T 1E7

Toronto, Montreal, Vancouver  
Calgary Moncton

DOUBLE-QUICK 11 is a concentrated contact insecticide formulated with pyrethrins and a synergist in a highly refined mineral oil base. DOUBLE-QUICK 11 is especially designed for use in steam vaporizers, compressed-air sprayers, heat-generated fogging machines and sprayers that produce extremely fine particle sizes. DOUBLE-QUICK 11, when used as directed, is recommended for use in bakeries, wholesale groceries, bottling plants, restaurants, and other industries that require a nonstaining insecticide. DOUBLE-QUICK 11 is a concentrated insecticide scientifically formulated for control of the exposed stages of cockroaches,

certain insects infesting stored food product areas, silverfish, flies, mosquitoes, wasps, gnats, small flying moths, waterbugs, crickets, spiders, ticks, and centipedes.

#### DIRECTIONS FOR USE:

For exposed stages of granary weevils, confused flour beetles, angoumois grain moths, indian meal moths, cadelles, rust red flour beetles, saw-toothed grain beetles, spider beetles, grain mites, rice weevils infesting stored food product areas: Clean areas to be sprayed, especially cracks, crevices, and around machinery. To spray food storage areas, remove food products from shelves and racks. Spray these areas thoroughly with DOUBLE-QUICK 11 and replace food products. For packaged food, spray in such a manner that a light mist will fall upon the packages. For food products in sacks, spray thoroughly between and around the sacks, paying particular attention to all cracks, crevices, walls, and any other places that might offer shelter to the insects. Contact as many insects as possible. After all the local areas of storage have been sprayed, close all windows and doors. Thoroughly fog the entire storage area, being extremely careful that all open food products are covered. Wet surfaces of the storage area thoroughly after thorough cleanup and prior to filling with grain. Do not apply directly to grain or oil bearing seeds. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat spraying at least once a week or when re-infestation becomes evident. When the actual stored food product is infested, use fumigation or other effective methods using an approved product intended for this specific purpose.

To treat unloading, handling, and processing areas: Spray the conveying, processing, and handling equipment as well as around the base of heavy machinery and equipment. After 10 to 20 minutes, remove dead insects and run equipment to aerate before beginning operations.

For roaches, silverfish, crickets, spiders, ticks, centipedes: Direct spray in such a manner as to penetrate all cracks, crevices, and other hiding places. Thoroughly fog around shelves, under sinks, refrigeration equipment, dishwashing machines, and bottle washers. Treat all returned bottle cartons and cases. Contact as many insects as possible. For badly infested areas, spray daily. During summer months, spraying twice a week is advisable. Do not remain in treated areas. Ventilate the area after treatment is completed.

For flies, mosquitoes, wasps, gnats, small flying moths: Close all doors and windows before spraying. Direct spray toward the ceiling and continue spraying until area is thoroughly fogged. After 10 to 20 minutes, sweep up and destroy all fallen insects.

Repeat spraying as often as necessary Do not remain in treated areas. Ventilate the area after treatment is completed.

Wasp nests: Spray directly on insects, nests, and hiding places. Application should be made in late evening (if possible) when wasps return to their nests.

FOR USE ON ANIMALS: To protect against horn flies, house flies, mosquitoes, and gnats: Mix 1.26 litres (42.5 ozs) DOUBLE-QUICK II with sufficient oil to equal 3.78 litres (1 gal.) Of diluted spray. Apply a light mist sufficient to wet the tips of the hair on beef and dairy cattle, horses, and dogs. Do not spray on face or genitals.

To protect against stable flies, horse flies, and deer flies: Apply the above dilution at 59 mL (2 ozs) per individual animal for adult beef cattle, dairy cattle, and horses to sufficiently wet the hair, but not to soak the hide. Repeat this application once or twice daily or as needed to give continued protection. To control the motile stages of blood sucking lice on beef and dairy cattle, apply the diluted spray to thoroughly wet the hair. Use 59 mL (2 ozs) or less per animal and repeat every 2 to 3 weeks as required.

#### PESTICIDE DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spill, contact the provincial regulatory agency or the Manufacturer.

#### PRECAUTIONS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

NOTE: Do not spray directly into foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be removed or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not treat bulk grain products. Remove pets and birds and cover fish aquariums before spraying.

CAUTION: Harmful if swallowed. Do not breathe spray mist. Avoid contact with skin, eyes, or clothing. Wash arms, hands, and face

with soap and water after handling and before eating and smoking. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

PHYSICAL OR CHEMICAL HAZARD: Do not use or store near heat or open flame.

FIRST AID: If swallowed.- DO NOT induce vomiting. Contains petroleum distillates. Call a physician or Poison Control Centre immediately. If inhaled, remove to fresh air. If on skin: Remove contaminated clothing and wash affected areas with soap and water. If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

TOXICOLOGICAL INFORMATION: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

See Material Safety Data Sheet for more Information. To reorder, call TOLL FREE: 1-800-387-1784

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not

liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))