

89.02.15

5012

MELNOR (R)
SPRAY GUARD (TM)
DOMESTIC
liquid insecticide

FRUIT TREE
and Garden
SPRAY

kills insects on fruit trees, shrubs, flowers & vegetables.

ATTACH, SPRAY,
& THROW AWAY!

Spray Guard distributes up to 78 Litres of solution.

500 mL

GUARANTEE: Methoxychlor 25% (240 g/L)

READ THE LABEL BEFORE USING.

REG. NO. 21028
P.C.P. ACT

DANGER POISON

MELNOR MANUFACTURING LTD.,
P.O. BOX 1236, BRANTFORD, ONTARIO N3T 5T3

DIRECTIONS FOR USE: Attach spray bottle to garden hose by connecting coupling nut tightly to hose and turning until black arrow aligns with OFF position. Turn water on at faucet. Push dark green button up and turn bottle until button seats into notch 1 or 2 (see below). To start spraying, turn coupling nut to align black arrow with ON. To spray water only, or for storage purposes, turn bottle until dark green button clicks into "W" notch. To stop spraying, turn coupling nut to align with OFF.

APPLICATIONS: For outdoor use only. Wear protective gloves when spraying.

To avoid possible development of insect resistance, and where product reg'n is compatible (see labels), alternate spraying with SPRAY GUARD Malathion or Diazinon sprays.

Setting "W": Water only (no chemical). Storage position (store in a cool dry place).

Setting 1: BERRIES AND VEGETABLES. (6.5 mL Spray Guard/L)

Berries: Strawberries, Gooseberries, Currants: Controls Strawberry Weevils and Currant Fruit Flies.

Vegetables: Snap Bean, Broccoli, Brussels Sprout, Cabbage, Carrot, Cauliflower, Collard, Cucumber, Eggplant, Lettuce, Pepper, Radish, Turnip: Controls Flea/Blister/Cucumber/Potato Beetles, Leafhoppers.

Potatoes: Controls Flea/Blister/Colorado Potato Beetles, Leafhoppers.

Tomatoes: Controls Fruitworms, Fall Armyworms, Flea & Blister Beetles.

Spray every 7 to 10 days as needed. Thoroughly wet all leaf surfaces. BERRIES and LEAF TYPE VEGETABLES (Beet Tops, Chard, Endive, Lettuce, Mustard Greens, Spinach) require a 14 day no-spray period prior to harvest. All others require 7 days. WASH ALL PRODUCE THOROUGHLY BEFORE USING.

Setting 2: FRUIT TREES AND ORNAMENTALS. (11 mL Spray Guard/L)

Spray every 7 to 14 days as needed. Thoroughly wet both sides of the foliage. Avoid heavy applications to Elms & Evergreens.

Apple, Pear, Cherry, Peach, Prune, Plum: Fruit tree spraying should commence AFTER PETAL FALL and be maintained until about mid August. Do not apply within 7 days of harvest. For Peaches do not spray within 21 days of harvest.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Do not get into eyes. Wash thoroughly after handling. Avoid drifts, spray when winds are calm, preferably in early morning. Avoid contaminating feed and food stuff. This product is poisonous to bees, fish and wildlife.

DISPOSAL: Wrap and dispose of empty unit in regular garbage.

NOT REFILLABLE. DO NOT REUSE.

KEEP FROM FREEZING.

FIRST AID: Product contains petroleum distillates. For SKIN contact - wash thoroughly with soap and water. If in EYES, flush adequately with tap water. If SWALLOWED, do not induce vomiting but rush patient to a hospital taking this labelled container with you. If patient is unconscious, give air, and get prompt medical attention.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))