

2000/2001

CSG 1000

**DISINFECTANT CLEANER
FOR FOOD, MEAT AND POULTRY PROCESSING**

GUARANTEE:

N-Alkyl (5% C ₁₂ , 60% C ₁₄ , 30% C ₁₆ , 5% C ₁₈) dimethyl benzyl ammonium chloride	0.8%
N-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethyl benzyl ammonium chloride	0.8%

COMMERCIAL

CAUTION

CORROSIVE

READ THE LABEL BEFORE USING

692336

REGISTRATION NO. 19379
PEST CONTROL PRODUCTS ACT

NET CONTENTS
LITRES LOT#

FLEXO PRODUCTS LTD.
4777 KENT AVENUE
NIAGARA FALLS - ONTARIO
L2H 1J5

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

DIRECTIONS:

DISINFECTION - of hard surfaces, industrial floors, walls and food processing equipment, table tops, counters, display racks in meat and poultry processing and packing plants, supermarket meat rooms,

kitchens and other food processing areas, add 1 part per 25 parts water. All solution to wet all surfaces thoroughly and remain wet for 10 minutes.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard non-porous surfaces, add 1 part "CSG 1000" to 25 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZING - To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part "CSG 1000" to 80 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution each use.

DISINFECTION - At 1 part "CSG 1000" to 25 parts water, this product exhibits effective disinfectant activity against: *Escherichia coli*, *Salmonella choleraesuis*, *Staphylococcus aureus*. At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*. At 1 part per 21 parts dilution, this product is an effective hospital disinfectant and demonstrates activity against *Pseudomonas aeruginosa*. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). "CSG 1000" is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO₃).

PRECAUTION: Keep out of reach of children. Causes eye and skin damage. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When used on surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not mix with soap or anionic solutions.

CONTAINS: Surfactants, silicate, phosphate, sequestrant and dye.

FIRST AID INSTRUCTIONS: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DO NOT STORE IN FOOD PROCESSING AREAS OR FOOD STORAGE AREAS. ALL SURFACES ON WHICH THIS PRODUCT IS USED AND WHICH COME IN CONTACT WITH FOOD, ARE TO BE RINSED WITH POTABLE WATER.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))