

95.05.31

RODEX ALL-WEATHER BLOCKS 1

With Cov-R-Tox(TM)

Encapsulated WARFARIN

KILLS RATS & MICE

DOMESTIC

GUARANTEE:

Warfarin 0.025%

REG. NO. 23951

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET: 453.6 g or 340 g

HACCO, Inc.
P.O. Box 7190
Madison, WI
53707

DIRECTIONS FOR USE

FOR NORWAY AND ROOF RATS: Cut through cellophane and label and break off the desired amount to be used. Assure an uninterrupted supply of bait for a period of not less than 12 days and continue baiting until all signs of feeding have stopped.

In moderately infested locations, at least 2 or more sections (113 g per section) of this bar should be placed where rats feed, water or travel: along walls, in corners, and concealed locations where they can feed unobserved. Each location should contain enough bait so that some will be left over the following morning.

Daily inspection is essential, especially in the first week, and bait supplies must be replenished as often as necessary. Under normal conditions, bait consumption will be light the 1st night, much heavier the 2nd and 3rd night thereafter. A gradual tapering off will occur as more and more rodents perish. When no bait is being eaten (between 10 - 14 days) and signs of rodent activity

have disappeared, it may be assumed that the rats in the particular location have been controlled.

FOR HOUSE MICE: Break a bar section into 4 pieces (28 g per piece) and place where mice or signs of mice have been seen. Bait stations at intervals of 2.5 - 3 meters are recommended. Assure an uninterrupted supply of bait for a period of not less than 15 days.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN, PETS, DOMESTIC ANIMALS and WILDLIFE. Do not expose these bait bars in areas accessible to children, dogs, domestic animals and wildlife except when enclosed within a tamper-resistant bait box. Keep away from feed or food stuffs. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after handling and before eating and smoking. Keep out of lakes, streams or ponds.

FIRST AID

RODEX All-Weather Blocks 1 contains as its active ingredient an anti-coagulant chemical which, if taken accidentally by humans, domestic animals or pets, may reduce the clotting ability of the blood and internal haemorrhage may result. If in eyes, flush with water for 15 minutes. If on skin, wash with soap and water. If swallowed, give patient 1-2 glasses of water and induce vomiting by touching back of the throat with a finger or blunt object. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Call a Physician or Poison Control Center immediately.

TOXICOLOGY

Vitamin K₁ in the form of intravenous, intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

DISPOSAL: Do not reuse container. Wrap and dispose of with household garbage. RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out in the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))