

05-JUL-2004 Notification received of a label change. See below for this change.

25-AUG-2000

CLEAN CROP (R)

POTATO SEED TREATMENT

contains mancozeb

COMMERCIAL

READ THE LABEL BEFORE USING

REGISTRATION NO. 11051
PEST CONTROL PRODUCTS ACT

GUARANTEE:

mancozeb	8.0%
(manganese equivalent	1.6%)
(zinc equivalent	0.2%)
(ethylene bis dithio carbamate equivalent	6.2%)

NET: 20 kg

Notification Change

UNITED AGRI PRODUCTS CANADA INC. □

~~UNITED AGRI PRODUCTS CANADA INC.~~

789 DONNYBROOK DRIVE □

~~R.R. #2~~

DORCHESTER ON N0L 1G5 □

~~Dorchester, Ontario~~

~~N0L 1G5~~

38720

01/94

DIRECTIONS FOR USE: POTATO SEED TREATMENT should be used only in accordance with recommendations on this label.

POTATOES: Apply 1 kg of dust per 100 kg of potato seed pieces for the control of Fusarium Seed Piece Decay. Apply thoroughly to coat the surface of whole or cut seed pieces with dust. If treated whole seed is cut, make a second application to protect the cut surface. Plant as soon as possible after treatment. If cut seed is not planted immediately, store in a well ventilated location to permit cut surface to dry. Do not use surplus treated seed pieces for food or feed.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed or inhaled. May cause irritation of eyes, nose, throat

and skin. Avoid inhalation of dust. Avoid contact with eyes, skin or clothing. Wash after handling and before eating, drinking or smoking. Do not contaminate feed or food. Do not contaminate ponds, lakes or streams. Keep container tightly closed when not in use. Do not allow product to become wet or overheated during storage. Keep away from sparks or fire.

FIRST AID

IF ON SKIN: Remove all contaminated clothing. Wash skin and hair thoroughly with soap and water. Wash clothing before reuse. If irritation persists, get medical attention.

IF IN EYES: Flush with running water for at least 15 minutes while holding eyelids open to help flush out material. Get medical attention.

INGESTION: Drink 1-2 glasses of water and induce vomiting. Never induce vomiting or give anything by mouth to an unconscious person. Keep head lower than chest to avoid aspiration into lungs. Call physician or contact a poison control centre.

INHALATION: Remove to fresh air. If breathing is difficult, administer oxygen; if breathing stops administer artificial respiration. Get medical attention immediately.

DISPOSAL

1. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Labeling for transportation of dangerous goods
Maneb UN 2968

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))