NYTEK 10 WP

LIOUID CONCENTRATE

Mold and Mildew Inhibitor for Wood, Textiles, and Ropes

Guarantee:

COMMERCIAL

CAUTION POISON

READ THE LABEL BEFORE USING

REGISTRATION NO. 16514 PEST CONTROL PRODUCTS ACT 180 KG

MAAG AGROCHEMICALS INC. KINGS HIGHWAY P.O. BOX 6430 VERO BEACH, FL 32961-6430 U.S.A.

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product on that condition.

NYTEK 10WP is a waxy semi-solid containing 10% copper 8-quinolinolate plus water repellents conforming to AWPA Standard P-8 and to CSA Standard 080-P8 as a wood preservative, and to Canadian Government Specifications 4-GP-53A and 4-GP-54A for the treatment of cotton fabrics.

This product is registered in Canada for the following uses :

a) for the pressure treatment of poles, posts and structural lumber.

- b) to control mold and mildew on wood and heavy fabrics.
- c) as a wood preservative with water repellents or waxing ingredient in the dip treatment of wood (field crates, lug boxes, pallets, greenhouse flats) and wooden containers for harvesting fruit and vegetables.

PREPARATION OF TREATING SOLUTION (for wood and textiles)

NYTEK 10WP should be diluted with mineral spirits by initially warming it (temperature not to exceed 50¢C) until it liquifies, and then adding the solvent. The ready-to-use solution should contain between 2.5 and 10% NYTEK 10WP by weight (0.045-0.18% copper as metal).

DIRECTIONS FOR TREATING WOOD DIP, BRUSH OR SPRAY TREATMENT

Items to be treated can be brushed, dipped or sprayed to refusal in the above solution.

PRESSURE TREATMENT:

Use a retention of not less than 3.2 kg/m3 (0.32 kg/m3 of copper 8-quinolinolate as active) for above ground use. For below ground use, a retention of 8.0 to 11.2 kg/m3 of NYTEK 10WP (0.8 to 1.12 kg/m3 of copper 8-quinolinolate as active) is recommended.

DIRECTION FOR TREATING TEXTILES

The textile to be treated should be dipped into the treating solution, squeezed through a set of rollers and dried.

CAUTIONS:

Keep out of reach of children. Do not use, pour, or spill near heat or open flame. Avoid contact with eyes, skin and clothes. Contains mineral spirits, when handling use with adequate ventilation. Do not smoke during application. Wear goggles and rubber gloves when handling.

FIRST AID:

If swallowed, drink 1 or 2 glasses of milk. Get medical attention. If splashed on skin, wash thoroughly with soap and

water. If splashed in eyes wash immediately with copious amounts of water and secure medical attention.

TOXICOLOGICAL INFORMATION:

NYTEK 10WP is a mild skin and eye irritant. It imparts a greenish color to the skin or eyes and is therefore easily identifiable. It will impart no permanent injury, but should be removed immediately to forestall irritation.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

6/87CAN

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))